

Decidable Subtyping of Existential Types for Julia (Extended Version)

JULIA BELYAKOVA, Purdue University, USA

BENJAMIN CHUNG, JuliaHub, USA

ROSS TATE, Independent Consultant, USA

JAN VITEK, Northeastern University, USA and Charles University, Czechia

Julia is a modern scientific-computing language that relies on multiple dispatch to implement generic libraries. While the language does not have a static type system, method declarations are decorated with expressive type annotations to determine when they are applicable. To find applicable methods, the implementation uses subtyping at run-time. We show that Julia’s subtyping is undecidable, and we propose a restriction on types to recover decidability by stratifying types into method signatures over value types—where the former can freely use bounded existential types but the latter are restricted to use-site variance. A corpus analysis suggests that nearly all Julia programs written in practice already conform to this restriction.

CCS Concepts: • **Theory of computation** → *Type structures*; • **Software and its engineering** → **Data types and structures**; *Semantics*; *Just-in-time compilers*; **Language features**.

Additional Key Words and Phrases: Decidability, Subtyping, Julia

ACM Reference Format:

Julia Belyakova, Benjamin Chung, Ross Tate, and Jan Vitek. 2024. Decidable Subtyping of Existential Types for Julia (Extended Version). *Proc. ACM Program. Lang.* 8, PLDI, Article 191 (June 2024), 36 pages. <https://doi.org/10.1145/3656421>

1 INTRODUCTION

Julia is a scientific-computing language carefully designed so that an implementation can generate efficient code for performance-critical abstractions. The central abstraction mechanism offered by the language is multiple dispatch with an expressive type-annotation language and a complex subtype relation. Multiple dispatch is a mechanism dating back to Lisp [Bobrow et al. 1986], which allows *generic functions* to have multiple implementations, called *methods*, tailored to different argument types. The following code snippet illustrates the expressive power of Julia’s type-annotation language, in this case defining the binary “-” operator for various types:

```
- (x::BigInt, y::BigInt) = ...  
- (x::T, y::T) where T <: Union{Int16, Int32} = ...  
- (m::Missing, n::Number) = ...  
- (A::AbstractArray{T,N}) where {T,N} = ...
```

Authors’ addresses: Julia Belyakova, Purdue University, West Lafayette, USA, ybelyako@purdue.edu; Benjamin Chung, JuliaHub, Boston, USA, benjamin.chung@juliahub.com; Ross Tate, Independent Consultant, Ithaca, USA, research@rosstate.org; Jan Vitek, Northeastern University, Boston, USA and Charles University, Prague, Czechia, j.vitek@northeastern.edu.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

© 2024 Copyright held by the owner/author(s).

ACM 2475-1421/2024/6-ART191

<https://doi.org/10.1145/3656421>

Julia has both nominal type constructors, such as `Number` and `AbstractArray{T, N}`, and a variety of structural types. `Any` is a supertype of all types. Finite unions of types are written `Union{Int16, Int32}`. Tuple types such as `Tuple{String, Number}` are covariant in their element types. Finally, bounded existential types, called union-all in Julia, are written `t where l <: T <: u`, and represent the union of types `t[t' / T]` for all valid instantiations `l <: t' <: u` of the type variable `T`.

While it has a type-annotation language, Julia does not have a static type system. Thus, subtyping is only used at run-time, in particular, to find an applicable method for each function call. The reference definition of subtyping lies in a highly optimized, and evolving, C implementation. Zappa Nardelli et al. [2018] give a faithful account; the departures from the implementation are believed to be bugs in the C code. Chung et al. [2019] argue that the complexity of the implementation comes in equal parts from the type language’s expressive power and from efficiency concerns.

As we will demonstrate, Julia subtyping is undecidable. When a language has an undecidable static type system, compile-time errors can typically be fixed by adding annotations to the program as needed. For Julia, incomplete subtyping can incorrectly change the execution of a program, either during dynamic dispatch, or when adding new method definitions, or when generating code. When subtyping fails to terminate, the implementation raises an exception with little insight as to how to fix the offending source code. The subtyping algorithm is still under development, as these issues suggest: #41948 (a `StackOverflowError` caused by a function definition), #33137 (a problem with Julia’s “diagonal rule”); #24166 (a problem with reflexivity and transitivity); #39099 (a problem with transitivity of variadic tuple arguments).

Our goal is to develop a clear formalization of the intended subtype relation—one that can be understood and adopted by programmers, and one for which an algorithm can be proved sound and complete. The breadth of Julia’s type features makes this difficult to do all at once, so in this paper we focus on bounded existential types.




Fig. 1. Overview

Fig. 1 is a roadmap for this paper. We start with the implementation of subtyping, $<:_{JULIA}$, used in practice. The 2018 paper gave a formal definition of that relation, $<:_{18}$, with some small differences (e.g. it ignored variadic tuples and singleton types). To validate $<:_{18}$, the authors performed extensive testing of both definitions. The handful of differences between them were either ascribed to bugs—some of which were fixed by the Julia team—or to undefined behavior. Much of the effort was in establishing a better understanding of Julia’s diagonal rule, which restricts how existential types can be instantiated in certain situations that were only informally described. While interesting, the feature is a layer on top of existential types, which we show here are challenging enough on their own. One of our contributions is that, by ignoring the diagonal rule in particular, we demonstrate

that one can recover a much simpler and more familiar *declarative* formalization of Julia’s subtyping. The language intends its types to approximate sets and its subtyping to approximate set inclusion, a transitive relation. Therefore, the declarative formalization, $\langle :_{\text{JD}}^{\text{C}}$, simply declares, with an explicit rule, that subtyping is transitive. While this trivially captures the intended behavior, it also makes reasoning about subtyping difficult.¹ Thus, our second contribution is to establish an *invertible* formalization of subtyping, $\langle :_{\text{JI}}$, where only one rule can act on a given side at a given time. Invertible subtyping is proved equivalent to the declarative formalization of subtyping when restricted to *conservative* types, meaning types whose quantified type variables’ lower bounds are subtypes of their corresponding upper bounds. At this point, it is rather easy to show that subtyping is undecidable. More specifically, we prove the undecidability of invertible subtyping between conservative types. Our proof proceeds by reduction of subtyping of one of Pierce [1992]’s deterministic fragments of System F_{\leq}^P to invertible subtyping. We do this by translating F_{\leq}^P types to conservative types, and by showing F_{\leq}^P subtyping holds if and only if their translations are invertible *supertypes* (where the only-if direction relies critically on invertibility of the rules). The key insight is this flipping of subtyping into supertyping and, likewise, flipping upper-bounded universal quantification in F_{\leq}^P to lower-bounded existential quantification in Julia.

To find a decidable yet practical fragment of Julia types, we conduct an empirical study, demonstrating that the types actually written by users are *stratified*. In particular, method type annotations can be stratified as *method signatures* that predicatively quantify over non-quantifying *value types*² with use-site variance, which Julia already has a shorthand for (e.g. `Vector{<:Number}`). The key observation is that use-site variance is the only employed application of impredicative existential quantification where an existential type variable is instantiated with an existential type. One nice property of the stratification is that, aside from checking conservativity of bounds, it is syntactic. Our corpus analysis of all the source code of 9,335 Julia packages finds only a handful of stratification violations in 16.5 million lines of code. We conclude with the definition of *algorithmic* subtyping, $\langle :_{\text{SA}}$, which we prove specifies a sound and complete algorithm for subtyping between conservative stratified types. The key insight is that stratification ensures that only one of the two types being compared contains flexible variables, i.e. existentially quantified variables that need to be instantiated, preventing major complications like recursive constraints. Combined with the above contributions, this provides the foundation for a sound and complete algorithm, upon which future work can expand to encompass the full feature set. Belyakova [2023] in her thesis discusses many of the missing features in the context of a restricted subtype relation that is shown to be decidable but not complete. The step-wise approach presented here is key to be able to prove that important property.

2 BACKGROUND ON JULIA

Julia is a high-level, dynamically typed programming language—originally designed for scientific computing—that addresses the, so-called, “two-language problem” by providing both productivity features and performance [Bezanson et al. 2018, 2017]. For productivity, the language provides garbage collection, dynamic typing, and multiple dispatch—resolved at run-time using subtyping. For performance, it relies on an optimizing compiler that specializes multiple dispatches to direct calls [Pelenitsyn et al. 2021]. Subtyping largely follows the combination of nominal subtyping for

¹For example, type `Nothing` is declaratively equivalent to `Any` where `Any <: T <: Nothing`; demonstrated by opening the existential and applying transitivity to `Any <: Nothing` with `T` as the middle type, even though `T` never occurs within the body of the existential. This existential type is odd: its bounds are nonconservative, i.e. its lower bound is not a subtype of its upper bound.

²Value types are not to be confused with run-time types or, for those familiar with Julia terminology, concrete types.

user-defined nominal types and semantic subtyping³ for covariant tuples, unions, and bounded existential types. While the language has no formal definition of its subtyping algorithm, Zappa Nardelli et al. [2018] attempted to reverse-engineer an algorithmic definition and test it empirically. That definition is mostly accurate, with most observed differences due to bugs in Julia.

```

abstract type Real <: Number end
struct Rational{T<:Integer} <: Real
    num :: T
    den :: T
end
mutable struct BitSet <: AbsSet{Int}

abstract type Ref{T} end
struct RefArray{
    T,
    A<:AbstractArray{T},
    R
} <: Ref{T}

```

Fig. 2. Datatype declarations

Nominal types are induced by user-defined datatype declarations and constitute a single-parent inheritance hierarchy. Abstract types can be inherited from, and concrete types can be instantiated. Fig. 2 illustrates a definition of several datatypes. Both `Real` and `Ref{t}` are abstract; the remaining are concrete. Parametric types can have non-recursive lower and upper bounds on type variables, and they are invariant with respect to their type parameters. Thus, `Ref{t1}` is a subtype of `Ref{t2}` only if the arguments are equivalent. Tuples are immutable, and their type parameters are covariant. Type `Union{t ...}` describes a union (not sum) of types. For instance, `Real` is a subtype of `Union{Number, String}`, and `Union{t1, t2}` is a subtype of `t` if all components are subtypes: `t1 <: t` and `t2 <: t`. Following the semantic-subtyping mindset, tuples distribute over unions. For example, `Tuple{String, Union{Int32, Int64}}` represents binary tuples where the first component is a string, and the second is either a 32- or 64-bit integer. Due to distributivity, this type is equivalent to `Union{Tuple{String, Int32}, Tuple{String, Int64}}`. *Bounded existential types*, called union-all in Julia, have the form `t where l<:T<:u`, where the lower and upper bounds can be omitted and default to the bottom type—`Union{}`—and top type—`Any`—respectively. Existentials can model Java wildcards but are more expressive. Intuitively, they denote a union of `t[t'/T]` for all instantiations of the type variable `T` such that `l<:t'<:u`. Similarly to subtyping of union types, the intent is that

- `(t where l<:T<:u) <: t2` if `t[t'/T] <: t2` for all valid instantiations `t'` of `T`,
- `t1 <: (t where l<:T<:u)` if there exists a valid instantiation `t'` with `t1 <: t[t'/T]`.

For example, `Vector{Int32}` is a subtype of `Vector{T} where T<:Number` because `T` can be instantiated with `Int32`, and `Vector{T} where T<:Number` is a subtype of `Vector{S} where S` because for all valid instantiations `t'` of `T`, type variable `S` can be instantiated with the type `t'`. Tuples distribute over existential types; types `Tuple{Vector{T} where T}` and `Tuple{Vector{T}} where T` are equivalent.

Existential types are *impredicative*: quantifiers can appear anywhere in a type, and type variables can be instantiated with any type. Type `Vector{Ref{T} where T}` denotes a heterogeneous vector of references, whereas `Vector{Ref{S} where S}` denotes a union of homogeneous vectors of references. Thus, a vector containing integer references, `Vector{Ref{Int32}}`, is a subtype of the latter but not the former as the type arguments `Ref{Int32}` and `Ref{T} where T` are not equivalent; in particular, a `Ref{String}` could be put into a `Vector{Ref{T} where T}` but not into

³This is a misnomer, though, because semantic subtyping is subtyping that is complete with respect to a particular semantics [Castagna and Frisch 2005], which Julia fails to be. Rather, Julia includes expressive subtyping rules commonly associated with semantic subtyping, such as distributivity of tuples over unions.

a `Vector{Ref{Int32}}`. Top-level existential types appear in signatures of polymorphic method definitions. Recall that types are only used for multiple dispatch. To call a method, one provides arguments that inhabit the corresponding existential type. In the method body, the existential is implicitly unpacked, with the witness type being some valid instantiation induced by subtyping. Consider a function $f(v : \text{Vector}\{T\})$ where T : its signature is `Tuple{Vector{T}}` where T . For a call such as $f([5, 7, 5])$, represented with the type `Tuple{Vector{Int32}}`, dispatch resolution relies on tuple subtyping—which succeeds in this case—and instantiates T with `Int32`.

3 SPECIFICATION OF SUBTYPING

As there is no official definition of subtyping, we face the problem of choosing a baseline in our exploration of decidability of subtyping. One option is to use Zappa Nardelli et al. [2018], as it matches the implementation, but the complexity of their rules is daunting. Furthermore, being accurate to the implementation is not necessarily what one wants; the implementation has bugs, so it can be unclear whether accepting a program is intentional or accidental. Thus, we formalize declarative subtyping based on the intuitions provided by the Julia documentation. To keep the paper focused, we omit features not relevant to undecidability, such as distributivity of tuples, the diagonal rule, nominal inheritance, variadic tuples, “plain bits” values, and singleton types. Our paper lays the foundations that such extensions can be built upon and establishes a practical means to address the key source of undecidability.

	<i>Julia syntax</i>	
$\sigma ::= T$	<code>Any</code>	top
\perp	<code>Union{}</code>	bottom
X	<code>X</code>	type variable
$\sigma \times \dots \times \sigma$	<code>Tuple{\sigma \dots \sigma}</code>	covariant tuple
$C\langle\sigma, \dots, \sigma\rangle$	<code>C{\sigma, \dots, \sigma}</code>	invariant nominal constructor
$\sigma \cup \sigma$	<code>Union{\sigma, \sigma}</code>	union
$\exists\sigma_\ell <: X <: \sigma_u. \sigma$	<code>\sigma where \sigma_\ell <: X <: \sigma_u</code>	bounded existential

Fig. 3. Type grammar

For the remainder of the paper, we depart from the Julia type syntax and adopt a more standard notation. The type grammar is given by Fig. 3. The shorthand `C` is for nullary datatypes. Datatype declarations are implicit and do not restrict type parameters. A kind context is denoted Σ and is a, possibly empty, sequence of type variables with explicit bounds $\sigma_\ell <: X <: \sigma_u$. As a shorthand, we omit \perp lower bounds and T upper bounds.

Julia has a notion of type validity: it rejects types with unbound type variables. However, this notion is too permissive, as it allows a type variable to have a lower bound that is not a subtype of its upper bound; we call such bounds *nonconservative*. This causes algorithmic problems and is an unnecessary degree of freedom; our corpus analysis reveals that nonconservative bounds are not used in practice. Thus, we consider only types that are well-scoped and conservative. Fig. 4 formalizes type validity, which is parameterized by the subtyping relation that enforces conservativity.

3.1 Declarative Subtyping

Our declarative formalization of subtyping is given in Fig. 5. It is parameterized by a validity predicate and includes explicit rules for reflexivity and transitivity. The latter make subtyping reflexive and transitive by definition. Each of the remaining rules is standard for the relevant feature. Observe

$$\begin{array}{c}
\frac{}{\Sigma \vdash_S \top} \quad \frac{}{\Sigma \vdash_S \perp} \quad \frac{\sigma_\ell <: X <: \sigma_u \in \Sigma}{\Sigma \vdash_S X} \quad \frac{\forall i \in [1, n] \quad \Sigma \vdash_S \sigma_i}{\Sigma \vdash_S \sigma_1 \times \dots \times \sigma_n} \\
\\
\frac{\forall i \in [1, n] \quad \Sigma \vdash_S \sigma_i}{\Sigma \vdash_S \mathcal{C}\langle \sigma_1 \dots \sigma_n \rangle} \quad \frac{\Sigma \vdash_S \sigma_1 \quad \Sigma \vdash_S \sigma_2}{\Sigma \vdash_S \sigma_1 \cup \sigma_2} \\
\\
\frac{\Sigma \vdash_S \sigma_\ell \quad \Sigma \vdash_S \sigma_u \quad \Sigma \vdash \sigma_\ell <:_S \sigma_u \quad \Sigma, \sigma_\ell <: X <: \sigma_u \vdash_S \sigma}{\Sigma \vdash_S \exists \sigma_\ell <: X <: \sigma_u. \sigma} \\
\\
\frac{}{\vdash_S \cdot} \quad \frac{\vdash_S \Sigma \quad \Sigma \vdash_S \sigma_\ell \quad \Sigma \vdash_S \sigma_u \quad \Sigma \vdash \sigma_\ell <:_S \sigma_u}{\vdash_S \Sigma, \sigma_\ell <: X <: \sigma_u}
\end{array}$$

Fig. 4. Type and kind-context validity: $\boxed{\Sigma \vdash_S \sigma}$ and $\boxed{\vdash_S \Sigma}$ for a given subtype relation $<:_S$

that unlike in F_{\leq} where universal quantifications are only subtypes of universal quantifications, here existential quantifications are supertypes of arbitrary types provided appropriate instantiations exist. The validity predicate specifies the universe of types to consider when applying transitivity or instantiating existential types.

The parameterized judgments have common instantiations. $\Sigma \vdash^{\text{ws}} \sigma$ denotes validity with the total subtype relation (i.e. not enforcing conservativity) and formalizes when a type is *well-scoped*. $\Sigma \vdash^{\text{c}}_{\text{JD}} \sigma$ and $\Sigma \vdash \sigma <:^{\text{c}}_{\text{JD}} \sigma$ denote the mutually-inductively defined conservativity predicate and declarative subtype relation quantifying over conservative types. Unless otherwise indicated, declarative subtyping henceforth ranges over conservative types.

$$\begin{array}{c}
\frac{}{\Sigma \vdash \sigma <:^{\text{V}}_{\text{JD}} \sigma} \quad \frac{\Sigma \vdash^{\text{V}} \sigma' \quad \Sigma \vdash \sigma <:^{\text{V}}_{\text{JD}} \sigma' \quad \Sigma \vdash \sigma' <:^{\text{V}}_{\text{JD}} \sigma''}{\Sigma \vdash \sigma <:^{\text{V}}_{\text{JD}} \sigma''} \\
\\
\frac{}{\Sigma \vdash \sigma <:^{\text{V}}_{\text{JD}} \top} \quad \frac{}{\Sigma \vdash \perp <:^{\text{V}}_{\text{JD}} \sigma} \quad \frac{\sigma_\ell <: X <: \sigma_u \in \Sigma}{\Sigma \vdash X <:^{\text{V}}_{\text{JD}} \sigma_u} \quad \frac{\sigma_\ell <: X <: \sigma_u \in \Sigma}{\Sigma \vdash \sigma_\ell <:^{\text{V}}_{\text{JD}} X} \\
\\
\frac{\forall i \in [1, n] \quad \Sigma \vdash \sigma_i <:^{\text{V}}_{\text{JD}} \sigma'_i}{\Sigma \vdash \sigma_1 \times \dots \times \sigma_n <:^{\text{V}}_{\text{JD}} \sigma'_1 \times \dots \times \sigma'_n} \quad \frac{\forall i \in [1, n] \quad \Sigma \vdash \sigma_i <:^{\text{V}}_{\text{JD}} \sigma'_i \quad \Sigma \vdash \sigma'_i <:^{\text{V}}_{\text{JD}} \sigma_i}{\Sigma \vdash \mathcal{C}\langle \sigma_1 \dots \sigma_n \rangle <:^{\text{V}}_{\text{JD}} \mathcal{C}\langle \sigma'_1 \dots \sigma'_n \rangle} \\
\\
\frac{\Sigma \vdash \sigma_1 <:^{\text{V}}_{\text{JD}} \sigma' \quad \Sigma \vdash \sigma_2 <:^{\text{V}}_{\text{JD}} \sigma'}{\Sigma \vdash \sigma_1 \cup \sigma_2 <:^{\text{V}}_{\text{JD}} \sigma'} \quad \frac{}{\Sigma \vdash \sigma_i <:^{\text{V}}_{\text{JD}} \sigma_1 \cup \sigma_2} \\
\\
\frac{\Sigma, \sigma_\ell <: X <: \sigma_u \vdash \sigma <:^{\text{V}}_{\text{JD}} \sigma'}{\Sigma \vdash \exists \sigma_\ell <: X <: \sigma_u. \sigma <:^{\text{V}}_{\text{JD}} \sigma'} \quad \frac{\Sigma \vdash^{\text{V}} \sigma_X \quad \Sigma \vdash \sigma_\ell <:^{\text{V}}_{\text{JD}} \sigma_X \quad \Sigma \vdash \sigma_X <:^{\text{V}}_{\text{JD}} \sigma_u}{\Sigma \vdash \sigma[X \mapsto \sigma_X] <:^{\text{V}}_{\text{JD}} \exists \sigma_\ell <: X <: \sigma_u. \sigma}
\end{array}$$

Fig. 5. Declarative subtyping: $\boxed{\Sigma \vdash \sigma <:^{\text{V}}_{\text{JD}} \sigma}$ for a given type-validity predicate \vdash^{V}

$$\begin{array}{c}
 \overline{\Sigma \vdash \sigma <_{\text{JI}} \top} \qquad \overline{\Sigma \vdash \perp <_{\text{JI}} \sigma'} \\
 \\
 \overline{\Sigma \vdash X <_{\text{JI}} X} \qquad \frac{\sigma_\ell <: X <: \sigma_u \in \Sigma \quad \Sigma \vdash \sigma_u <_{\text{JI}} \sigma'}{\Sigma \vdash X <_{\text{JI}} \sigma'} \qquad \frac{\sigma_\ell <: X <: \sigma_u \in \Sigma \quad \Sigma \vdash \sigma <_{\text{JI}} \sigma_\ell}{\Sigma \vdash \sigma <_{\text{JI}} X} \\
 \\
 \frac{\forall i \in [1, n] \quad \Sigma \vdash \sigma_i <_{\text{JI}} \sigma'_i}{\Sigma \vdash \sigma_1 \times \dots \times \sigma_n <_{\text{JI}} \sigma'_1 \times \dots \times \sigma'_n} \qquad \frac{\forall i \in [1, n] \quad \Sigma \vdash \sigma_i <_{\text{JI}} \sigma'_i \quad \Sigma \vdash \sigma'_i <_{\text{JI}} \sigma_i}{\Sigma \vdash C(\sigma_1, \dots, \sigma_n) <_{\text{JI}} C(\sigma'_1, \dots, \sigma'_n)} \\
 \\
 \frac{\Sigma \vdash \sigma_1 <_{\text{JI}} \sigma' \quad \Sigma \vdash \sigma_2 <_{\text{JI}} \sigma'}{\Sigma \vdash \sigma_1 \cup \sigma_2 <_{\text{JI}} \sigma'} \qquad \frac{\Sigma \vdash \sigma <_{\text{JI}} \sigma'_i}{\Sigma \vdash \sigma <_{\text{JI}} \sigma'_1 \cup \sigma'_2} \qquad \frac{\Sigma, \sigma_\ell <: X <: \sigma_u \vdash \sigma <_{\text{JI}} \sigma'}{\Sigma \vdash \exists \sigma_\ell <: X <: \sigma_u. \sigma <_{\text{JI}} \sigma'} \\
 \\
 \frac{\Sigma \vdash_{\text{JI}} \sigma_X \quad \Sigma \vdash \sigma_\ell <_{\text{JI}} \sigma_X \quad \Sigma \vdash \sigma_X <_{\text{JI}} \sigma_u \quad \Sigma \vdash \sigma <_{\text{JI}} \sigma' [X \mapsto \sigma_X]}{\Sigma \vdash \sigma <_{\text{JI}} \exists \sigma_\ell <: X <: \sigma_u. \sigma'}
 \end{array}$$

 Fig. 6. Invertible subtyping: $\Sigma \vdash \sigma <_{\text{JI}} \sigma'$

3.2 Invertible Subtyping

When one knows $\sigma_1 \times \sigma_2$ is a subtype of $\sigma'_1 \times \sigma'_2$, one would often like to deduce that σ_1 is a subtype of σ'_1 and that σ_2 is a subtype of σ'_2 , conceptually inverting the rule for covariant tuples. However, this is not necessarily true. The kind context could contain a bounded variable $\sigma_1 \times \sigma_2 <: X <: \sigma'_1 \times \sigma'_2$, and transitivity could use X as its intermediate type without ever connecting the respective projections. So, without conservativity of bounds, transitivity makes such desirable subtyping inversions impossible. To this end, we restrict the type system to conservative types. With this restriction, our problematic bounded variable $\sigma_1 \times \sigma_2 <: X <: \sigma'_1 \times \sigma'_2$ is only valid if $\sigma_1 \times \sigma_2$ can be determined to be a subtype of $\sigma'_1 \times \sigma'_2$ without X . From this proof of conservativity, one then hopes to extract the expected subtypings between the respective projections. Indeed, we prove that, when restricted to conservative types and kind contexts, declarative subtyping is equivalent to the invertible subtype relation $\Sigma \vdash \sigma <_{\text{JI}} \sigma'$, formalized in Fig. 6, which does not contain an explicit transitivity rule.

THEOREM 3.1. *For any kind context Σ satisfying $\vdash_{\text{JI}} \Sigma$, and for any pair of types σ and σ' satisfying $\Sigma \vdash_{\text{JI}} \sigma$ and $\Sigma \vdash_{\text{JI}} \sigma'$, the following equivalence holds:*

$$\Sigma \vdash \sigma <_{\text{JD}}^c \sigma' \iff \Sigma \vdash \sigma <_{\text{JI}} \sigma'$$

PROOF. The leftward implication is trivially proven by induction on $\Sigma \vdash \sigma <_{\text{JI}} \sigma'$, with applications of reflexivity and transitivity rules of $<_{\text{JD}}^c$. The bulk of the proof by far is in the rightward implication. First, we observe that, if its bounds are conservative, an existential type $\exists \sigma_\ell <: X <: \sigma_u. \sigma$ is equivalent to the type $\exists \perp <: X' <: \sigma_u. \sigma [X \mapsto \sigma_\ell \cup X']$. Then, for the simpler type space with only upper bounds, we define transitivity-eliminating reductions and show that repeatedly applying them necessarily terminates. In particular, we translate the system to Girard's cut-elimination reductions for proof nets of second-order classical linear logic (PN2) [Girard 1987], which handles termination of cut elimination in the presence of impredicativity. \square

Invertible subtyping is derived from declarative subtyping by baking transitivity into each rule directly. It allows for an easy use of inversion: when given a subtype relation $\Sigma \vdash \sigma <:_{\text{JI}} \sigma'$, by design only one rule can “act on” a given side. For example, only the tuple rule is applicable to the subtyping $\vdash \sigma_1 \times \sigma_2 <:_{\text{JI}} \sigma'_1 \times \sigma'_2$, guaranteeing the respective projections are necessarily subtypes, just as one would hope for. For other features formalized using left and right rules, one can often use induction to dig up an application of the desired one-sided rule. For example, one can easily prove that a union is a subtype of another type only if its components are. However, not all inversions are always possible; for example, a subtype of a union is not necessarily a subtype of either component of the union. Similarly, invertible subtyping is not quite syntax-directed; in particular, the right rule for existentials can apply in an infinite number of ways depending on the instantiating types. So, $\vdash \text{Int32} <:_{\text{JI}} \exists X.X$ can be shown by instantiating X with Int32 , or with $\text{Int32} \cup \text{Int64}$, or with many other types. Nonetheless, invertible subtyping is easier to reason about than declarative subtyping. The equivalence is valuable for both proving undecidability and establishing completeness of our algorithm on restricted types.

4 UNDECIDABILITY OF JULIA SUBTYPING

This section provides a proof of undecidability of Julia subtyping. Consider this code:

```
Neg(T) = Ref{>:T}
Kappa(T) = Pair{Y, <:Neg(Y)} where Y>:T
const Theta = Pair{Z, <:Neg(Kappa(Z))} where Z
println(Kappa(Theta) <: Theta) # StackOverflowError
```

This valid Julia program causes a `StackOverflowError` when executed. A method with a parameter of type `Ref{<:Theta}` would similarly fail if called with a value of type `Ref{Kappa(Theta)}`. Furthermore, adding a second method with `Ref{Kappa(Theta)}` as parameter would also overflow, as Julia tries to prioritize method definitions by subtyping. The code fragment is a contravariant translation of Curien and Ghelli [1990]’s gadget for non-termination in F_{\leq} . This singular example does not prove undecidability, but our translation does. Our proof proceeds by showing that System F_{\leq}^P ’s subtyping is equivalent under a translation into our subtyping calculus, thereby demonstrating undecidability by reduction.

4.1 System F_{\leq}^P

We remove arrow types from F_{\leq} to form the reduced F_{\leq}^P as described by Pierce [1992]. Pierce shows that subtyping in F_{\leq}^P is equivalent to subtyping in F_{\leq} and, therefore, that F_{\leq}^P is undecidable. Fig. 7 gives the grammar of F_{\leq}^P , where types are restricted depending on whether they occur in a negative or positive position. Kind contexts Γ^- are (possibly empty) sequences of upper-bounding type-variable declarations $\alpha \leq \tau^-$ that restrict upper bounds to only be negative types.

$\tau^+ ::=$	<i>Positive types</i>	$\tau^- ::=$	<i>Negative types</i>
Top	<code>top</code>	α	type variable
$\neg \tau^-$	negative negation	$\neg \tau^+$	positive negation
$\forall \alpha \leq \tau^- . \tau^+$	positive quantification	$\forall \alpha \leq Top . \tau^-$	negative quantification

Fig. 7. F_{\leq}^P grammar

Fig. 8 gives the subtyping rules of F_{\leq}^P . As in this paper, the rules treat α -equivalent types as implicitly equivalent. As such, the rule F_{\leq}^P -ALL does not require the two types to use the same variable name; if the variable names are different, they are implicitly α -renamed.

$$\begin{array}{c}
 \frac{}{\Gamma^- \vdash \tau^- \leq Top} \\
 \\
 F_{\leq}^P\text{-ALL} \frac{\Gamma^-, \alpha \leq \tau_2^- \vdash \tau_1^- \leq \tau^+}{\Gamma^- \vdash \forall \alpha \leq Top. \tau_1^- \leq \forall \alpha \leq \tau_2^-. \tau^+} \\
 \\
 F_{\leq}^P\text{-NEG} \frac{\Gamma^- \vdash \tau_2^- \leq \tau_1^+}{\Gamma^- \vdash \neg \tau_1^+ \leq \neg \tau_2^-} \\
 \\
 \frac{\alpha \leq \tau^- \in \Gamma^- \quad \Gamma^- \vdash \tau^- \leq \tau^+}{\Gamma^- \vdash \alpha \leq \tau^+}
 \end{array}$$

Fig. 8. Subtyping for F_{\leq}^P : $\boxed{\Gamma^- \vdash \tau^- \leq \tau^+}$

4.2 From F_{\leq}^P to Julia

For this reduction, we shall use the invertible subtype relation of Fig. 6 and show that there exists a suitable contravariant translation $\llbracket \cdot \rrbracket$ of F_{\leq}^P types and environments. Our translation is defined in Fig. 9. We use the nominal type constructors $\mathbf{Neg}(\sigma)$ and $\mathbf{All}(\sigma, \sigma')$ to create invariant contexts that force type equivalence. For simplicity, we treat F_{\leq}^P type variables as Julia type variables.

$$\begin{array}{l}
 \tau^+ \quad \left\{ \begin{array}{l} \llbracket Top \rrbracket = \perp \\ \llbracket \neg \tau^- \rrbracket = \mathbf{Neg}(\llbracket \tau^- \rrbracket) \\ \llbracket \forall \alpha \leq \tau^-. \tau^+ \rrbracket = \exists \llbracket \tau^- \rrbracket <: \alpha. \exists \alpha' <: \llbracket \tau^+ \rrbracket. \mathbf{All}(\alpha, \alpha') \end{array} \right. \\
 \\
 \tau^- \quad \left\{ \begin{array}{l} \llbracket \alpha \rrbracket = \alpha \\ \llbracket \neg \tau^+ \rrbracket = \exists \llbracket \tau^+ \rrbracket <: \alpha. \mathbf{Neg}(\alpha) \\ \llbracket \forall \alpha \leq Top. \tau^- \rrbracket = \exists \alpha. \exists \alpha' <: \llbracket \tau^- \rrbracket. \mathbf{All}(\alpha, \alpha') \end{array} \right. \\
 \\
 \Gamma^- \quad \left\{ \begin{array}{l} \llbracket \cdot \rrbracket = \cdot \\ \llbracket \Gamma^-, \alpha \leq \tau^- \rrbracket = \llbracket \Gamma^- \rrbracket, \llbracket \tau^- \rrbracket <: \alpha \end{array} \right.
 \end{array}$$

Fig. 9. Contravariant translation from F_{\leq}^P to Julia

The key insight of the translation is that subtyping of universally quantified types is dual to subtyping of existentially quantified types. The translation flips an F_{\leq}^P judgment $\Gamma^- \vdash \tau_1^- \leq \tau_2^+$ into $\llbracket \Gamma^- \rrbracket \vdash \llbracket \tau_2^+ \rrbracket <:_{\text{JL}} \llbracket \tau_1^- \rrbracket$, replacing upper-bounded universal quantification with lower-bounded existential quantification. The translation targets invertible subtyping, rather than declarative subtyping. We made this choice since, for the translation to transfer undecidability, we need both that translation preserves subtyping ($\tau_1^- \leq \tau_2^+$ implies $\llbracket \tau_2^+ \rrbracket <:_{\text{JL}} \llbracket \tau_1^- \rrbracket$) and that translation reflects subtyping ($\llbracket \tau_2^+ \rrbracket <:_{\text{JL}} \llbracket \tau_1^- \rrbracket$ implies $\tau_1^- \leq \tau_2^+$). Showing that the translation reflects subtyping relies heavily on invertibility. This then leads us into the proof of undecidability.

THEOREM 4.1 (UNDECIDABILITY OF SUBTYPING). *For any valid kind contexts Γ^- and any pair of negative type τ^- and positive type τ^+ valid in Γ^- , the following equivalence holds:*

$$\Gamma^- \vdash \tau_1^- \leq \tau_2^+ \iff \llbracket \Gamma^- \rrbracket \vdash \llbracket \tau_2^+ \rrbracket <:_{\text{JL}} \llbracket \tau_1^- \rrbracket$$

Because the former is undecidable, this implies that the latter is also undecidable.

PROOF. Consider the conclusion of rule $F_{\leq}^P\text{-ALL}$: $\Gamma^- \vdash \forall \alpha \leq \text{Top}.\tau_1^- \leq \forall \alpha \leq \tau_2^-.\tau^+$. The goal is to prove this holds if and only if the dual judgment holds: $\llbracket \Gamma^- \rrbracket \vdash \llbracket \forall \alpha \leq \tau_2^-.\tau^+ \rrbracket <_{;j} \llbracket \forall \alpha \leq \text{Top}.\tau_1^- \rrbracket$. Expanding the translation begets the following judgment:

$$\llbracket \Gamma^- \rrbracket \vdash \exists \llbracket \tau_2^- \rrbracket <_{;j} \alpha. \exists \alpha' <_{;j} \llbracket \tau^+ \rrbracket. \text{All} \langle \alpha, \alpha' \rangle <_{;j} \exists \alpha. \exists \alpha' <_{;j} \llbracket \tau_1^- \rrbracket. \text{All} \langle \alpha, \alpha' \rangle$$

The universal quantification is translated into an existentially quantified term of the same variable with upper bounds flipped into (translated) lower bounds, and with another variable with an upper bound in order to encode covariance. Because of the unique inversion properties of nominal constructors, having the body $\text{All} \langle \alpha, \alpha' \rangle$ for the right existential implies α and α' are necessarily instantiated with the corresponding arguments in the left type.⁴ Thus the above judgment holds if and only if those instantiations satisfy their bounds in the appropriate kind context. Only α' has a bound, which invertibility then quickly implies is satisfied if and only if in the kind context $\llbracket \Gamma^- \rrbracket, \llbracket \tau_2^- \rrbracket <_{;j} \alpha$ (since we can drop α' once it no longer occurs in either type), the following holds: $\llbracket \Gamma^- \rrbracket, \llbracket \tau_2^- \rrbracket <_{;j} \alpha \vdash \llbracket \tau^+ \rrbracket <_{;j} \llbracket \tau_1^- \rrbracket$. This is the translation of the premise of $F_{\leq}^P\text{-ALL}$. Translation for negated types follows the same concept (dualization into existentially-bounded variables) but is simplified since there is no reference to the introduced type variable from within the translated terms. Rule $F_{\leq}^P\text{-NEG}$ concludes with $\Gamma^- \vdash \neg \tau_1^+ \leq \neg \tau_2^-$, which translates to $\llbracket \Gamma^- \rrbracket \vdash \text{Neg} \langle \llbracket \tau_2^- \rrbracket \rangle <_{;j} \exists \llbracket \tau_1^+ \rrbracket <_{;j} \alpha. \text{Neg} \langle \alpha \rangle$. By reasoning similar to $F_{\leq}^P\text{-ALL}$, invertibility implies this holds if and only if α is instantiated with $\llbracket \tau_2^- \rrbracket$, though this time with the additional requirement that the instantiation satisfies its lower-bound constraint.⁵ Thus this holds if and only if $\llbracket \Gamma^- \rrbracket \vdash \llbracket \tau_1^+ \rrbracket <_{;j} \llbracket \tau_2^- \rrbracket$ holds, which is the translation of the premise of $F_{\leq}^P\text{-NEG}$. \square

Therefore, F_{\leq}^P subtyping holds if and only if the dualized translated version holds. By Pierce [1992], we can conclude that our subset of Julia's subtype relation is undecidable. Chung [2023] generalizes undecidability onto the broader Julia subtype relation when considering the other subtyping features as described by Zappa Nardelli et al. [2018].

5 STRATIFYING EXISTENTIAL TYPES FOR JULIA-IN-PRACTICE

We identify a subset of Julia types within which subtyping is decidable and to which existing programs already conform. In particular, one can stratify types into method signatures over value types, where quantification in method signatures can only use value types for bounds, and quantification within value types is restricted to use-site variance. In the next section, we demonstrate that this stratification indeed makes subtyping decidable. We start with an empirical study of Julia programs to show they already conform to this stratification.

⁴Technically, invertibility only directly implies the instantiations are equivalent to the corresponding arguments. However, one can extend the intermediate type and proof system and the reduction process employed in the proof of Th. 3.1 to furthermore eliminate such equivalences and ensure direct instantiations. This extension adds a specialized form of existential quantification for precisely the above pattern, with its right rule restricted in the desired manner. Due to invariance of nominal constructors, transitivity-elimination reduction can be extended to accommodate this restriction while staying in line with PN2. And because α and α' have no lower bounds, there is no need to replace them with a union to integrate conservativity. Altogether, this means we can get a proof in the desired form for induction.

⁵This lower bound requires extending the aforementioned intermediate specialized quantifier to support either upper or lower bounds. So long as only one side is present, we still avoid the complications caused by nonconservative bounds.

$\psi ::=$	(τ, \dots, τ)	tuple of method parameters
	$\exists \tau <: X <: \tau. \psi$	polymorphism
	$\psi \cup \psi$	multipurposing
	\perp	exclusion
$\tau ::=$	\top	top
	\perp	bottom
	X	type variable
	$\tau \times \dots \times \tau$	covariant tuple
	$\mathcal{C}\langle \tau \ll \tau, \dots, \tau \ll \tau \rangle$	nominal constructor with use-site variance
	$\tau \cup \tau$	union
$\Theta ::=$	\cdot	empty kind context
	$\Theta, \tau <: X <: \tau$	bounded variable

Fig. 10. Stratified types

5.1 Stratified Types

The stratified grammar is defined in Fig. 10. A method signature, ψ , is a union of existential quantifications of lists of value types as its method parameters. Thus, ψ can represent generic method signatures for the purpose of multiple dispatch. A value type, τ , is limited to use-site variance, rather than full existential quantification, but can use all other type constructors freely. A type argument $\tau_\ell \ll \tau_u$ for a nominal constructor indicates that the run-time argument must be a supertype of τ_ℓ and a subtype of τ_u . When a type argument is of the form $\tau \ll \tau$, we abbreviate it as τ . Upper and lower bounds, for both existentially quantified variables and type arguments, are always value types.

Julia already provides syntactic support for use-site variance. For the type `Vector{T} where T`, one can instead simply write `Vector`. Similarly, one can write types `Vector{<:Number}` and `Vector{>:Int32}` for, respectively, `Vector{T} where T <: Number` and `Vector{T} where T >: Int32`.

Crucially for the decidability of subtyping, our restriction rules out types where existential types inside invariant constructors do not match use-site variance, e.g., `Ref{Pair{T, T} where T}`. In particular, the `Theta`⁶ type from Ghelli's looping gadget is not expressible as a stratified type because, in the existential `Kappa(Z)`⁷, variable `Y` occurs twice under the invariant `Pair` constructor. Thus, `Kappa(Z)` (and, consequently, `Neg(Kappa(Z))`) is not encodable as use-site variance and does not constitute a value type, so it is not allowed as a bound in `Theta`.

In addition to syntactic stratification, we also require stratified types and kind contexts to be conservative, where lower bounds must be subtypes of upper bounds (for both variables and type arguments of datatypes). The validity judgments $\boxed{\Theta \vdash_S \psi}$, $\boxed{\Theta \vdash_S \tau}$, and $\boxed{\vdash_S \Theta}$ are all defined in the obvious manner, parameterized by a subtype relation on just value types (since method signatures do not occur in bounds).

There is an obvious syntactic definition for when an existential type corresponds to a nominal constructor with use-site variance (for example, $\exists \perp <: X <: \top. \text{Ref}\langle X \rangle$ is $\text{Ref}\langle \perp \ll \top \rangle$). This then extends to a syntactic correspondence between Julia types and value types, and then between Julia types and method signatures as well. Although, technically, multiple Julia types can correspond to a given stratified type, all of these types are trivially equivalent; so, as an abuse of notation, we treat

⁶const Theta = Pair{Z, <:Neg(Kappa(Z))} where Z

⁷Kappa(T) = Pair{Y, <:Neg(Y)} where Y>:T

stratified types as a subset of Julia types. We say a type conforms to stratification if there exists a stratified type that it corresponds to. We say a type conforms to stratification up to equivalence if it is equivalent—*according to Julia’s entire feature set*—to some type that conforms to stratification. In particular, one can use distributivity to either pull a nested existential up to the top level or to push an existential down inside a tuple so that it exemplifies use-site variance. This is why method signatures have unions, whereas in practice just the method parameters would have unions that would be automatically distributed up to the signature level. We discuss such equivalences in more detail below.

5.2 Empirical Evaluation

To estimate the potential impact of imposing this stratification on existing programs, we conducted a corpus analysis over nearly all of the packages listed in the official Julia registry. Out of more than 2 million type annotations, only 4 do not conform to stratification up to equivalence. All type annotations have conservative bounds.

5.2.1 Methodology. The corpus used in our analysis is the entire *General Registry*, which is the default source of packages used by Julia programs. The list of packages, obtained from *JuliaHub*, contained 9,383 entries as of 2023-05-20. Out of those, 9,335 packages were successfully downloaded. Some entries were not valid registered packages, or were duplicates, or were no longer publicly available. The resulting corpus has 172K files with 16.5M lines of code as reported by CLOC 1.9.0. Our analysis code is written in Julia 1.8.5. It extracts type annotations from all `.jl` files in the corpus and reports annotations that do not conform to stratification up to equivalence. The extraction uses the Julia parser and the *MacroTools.jl* package for convenient pattern matching over abstract syntax trees. Source code and the results of the analysis are publicly available.⁸

5.2.2 Results. Some types do not directly conform to stratification, but they do up to equivalence. Such types are not flagged by the analysis because their equivalent rewriting could be automated. At the method-signature level, if a method parameter has an existential at a distributive location, we first distribute the existential up to the signature level. Then, at the value-type level, we employ equivalences from the following two categories:

- An existential variable essentially encoding use-site variance but separated from its binding by distributive constructors. Some examples are `Tuple{Vector{T}}` `where T` and `Union{Vector{T}, Missing}` `where T`. These types are equivalent to the stratified types `Tuple{Vector{T} where T}` and `Union{Vector{T} where T, Missing}`.
- An existential variable used completely unnecessarily as a single component of a tuple. For example, `Tuple{T} where T <: u` is equivalent to `Tuple{u}`. This category is already automatically rewritten by Julia into the equivalent existential-free form.

The analysis was run on our corpus. One package failed to process; we manually confirmed its types conform to stratification up to equivalence. There were 206 packages with at least one file failing to parse; such files were ignored. In the remaining files, the analysis identified a total of 2,283,011 type annotations. Out of these, 1,887 were not processed because a type-variable binding contained a macro or quoted expression, and 26,385 were partially processed due to a macro or quoted expression in a part of the type. Of the 2,281,124 fully-or-partially analyzable type annotations, 2,281,117 were identified as conforming to stratification up to equivalence, and 7 annotations were flagged as potentially problematic. Three of these seven annotations were false positives related to `Vararg`. Variadic arguments are represented as `Vararg` in `Tuple` types. For example, `Tuple{Vararg{Int32}}` stands for a tuple of arbitrarily many integers. According to

⁸<https://github.com/prl-julia/julia-sub>

Julia subtyping, `Vararg` is covariant in its type argument, whereas the analysis reported it as if it were invariant.

Of the remaining four type annotations, two are instances of the same non-conforming type that can be rewritten into a semantically equivalent type that conforms to stratification. The original type is the following from package `Muon.jl`:

```
Dict{ K, Union { AbstractArray{ <:Number },
                AbstractArray{ Union{Missing,T} } where T<:Number,
                DataFrame } }
```

This type describes dictionaries of arbitrary key type whose elements are either arrays of numbers, arrays of elements that are either of homogeneous numeric type or missing, or an arbitrary data frame. This type has the following semantically equivalent conforming type, but the equivalence is not derivable according to Julia subtyping:

```
Dict{ K, Union { AbstractArray{ <:Number },
                AbstractArray{ Missing << Union{Missing,Number} }
                DataFrame } }
```

The other two remaining types do not conform to stratification even up to semantic equivalence. The first type is the following from package `Alicorn.jl`:

```
Array { Tuple{ T, Array{ T, N } where N, Bool } where T }
```

Here we have an existential quantifier inside a nominal constructor, and its variable occurs more than once so that it expresses more than just use-site variance. This type requires that the array contains tuples where the type of the first projection matches the second projection's element type. The second type is the following from package `UnitfulEquivalences.jl`:

```
Tuple { Type {
    Union{ Quantity {T, D, U},
          Level{ L, S, Quantity{T, D, U} } where L, S
    } where T, U }
} where D
```

Here `T` and `U`, used by `Quantity`, are quantified outside of the containing `Level`.

To check for conservative bounds, we extracted all type annotations that explicitly declare both a lower and an upper bound on at least one variable. There were only 9 such annotations, all of which we inspected manually and found to be conservative.

In sum, our analysis shows that the types programmers write conform to our proposed stratification, or do so at least up to equivalences that are easy to recognize.

5.3 Stratified Subtyping

With our stratification empirically justified, we proceed to define invertible subtyping on stratified types, which we use as a bridge to invertible subtyping on arbitrary types. Fig. 11 gives the rules for method signatures, and Fig. 12 gives the rules for value types. Subtyping itself has become stratified; not only is method-signature subtyping layered over value-type subtyping, but for method signatures, the left rules are layered over the right rules, taking advantage of the stratification boundary to signal when to move from left to right. The right existential rule now only permits instantiation with value types τ , which we prove is faithful to subtyping between the corresponding

$$\begin{array}{c}
\frac{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} \psi'}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}} \psi'} \\
\\
\overline{\Theta \vdash \perp <:_{\text{SI}} \psi'} \\
\\
\frac{\Theta \vdash \psi_1 <:_{\text{SI}} \psi' \quad \Theta \vdash \psi_2 <:_{\text{SI}} \psi'}{\Theta \vdash \psi_1 \cup \psi_2 <:_{\text{SI}} \psi'} \\
\\
\frac{\Theta, \tau_\ell <:_{\text{X}} <:_{\tau_u} \vdash \psi <:_{\text{SI}} \psi'}{\Theta \vdash \exists \tau_\ell <:_{\text{X}} <:_{\tau_u} \psi <:_{\text{SI}} \psi'}
\end{array}
\quad \Bigg| \quad
\begin{array}{c}
\frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i <:_{\text{SI}} \tau'_i}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} (\tau'_1, \dots, \tau'_n)} \\
\\
\frac{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} \psi'_i}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} \psi'_1 \cup \psi'_2} \\
\\
\frac{\Theta \vdash_{\text{SI}} \tau_X \quad \Theta \vdash \tau_\ell <:_{\text{SI}} \tau_X \quad \Theta \vdash \tau_X <:_{\text{SI}} \tau_u \quad \Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} \psi' [X \mapsto \tau_X]}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{\text{SI}}^{\text{R}} \exists \tau_\ell <:_{\text{X}} <:_{\tau_u} \psi'}
\end{array}$$

Fig. 11. Stratified invertible subtyping for signatures: $\boxed{\Theta \vdash \psi <:_{\text{SI}} \psi}$ (left), $\boxed{\Theta \vdash (\tau, \dots) <:_{\text{SI}}^{\text{R}} \psi}$ (right)

$$\begin{array}{c}
\overline{\Theta \vdash \tau <:_{\text{SI}} \top} \qquad \overline{\Theta \vdash \perp <:_{\text{SI}} \tau} \\
\\
\frac{}{\Theta \vdash X <:_{\text{SI}} X} \quad \frac{\tau_\ell <:_{\text{X}} <:_{\tau_u} \in \Theta \quad \Theta \vdash \tau_u <:_{\text{SI}} \tau'}{\Theta \vdash X <:_{\text{SI}} \tau'} \quad \frac{\tau_\ell <:_{\text{X}} <:_{\tau_u} \in \Theta \quad \Theta \vdash \tau <:_{\text{SI}} \tau_\ell}{\Theta \vdash \tau <:_{\text{SI}} X} \\
\\
\frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i <:_{\text{SI}} \tau'_i}{\Theta \vdash \tau_1 \times \dots \times \tau_n <:_{\text{SI}} \tau'_1 \times \dots \times \tau'_n} \quad \frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i^{\ell'} <:_{\text{SI}} \tau_i^\ell \quad \Theta \vdash \tau_i^u <:_{\text{SI}} \tau_i^{u'}}{\Theta \vdash \mathbb{C} \langle \tau_1^\ell \ll \tau_1^u \dots \tau_n^\ell \ll \tau_n^u \rangle <:_{\text{SI}} \mathbb{C} \langle \tau_1^{\ell'} \ll \tau_1^{u'} \dots \tau_n^{\ell'} \ll \tau_n^{u'} \rangle} \\
\\
\frac{\Theta \vdash \tau_1 <:_{\text{SI}} \tau'_1 \quad \Theta \vdash \tau_2 <:_{\text{SI}} \tau'_2}{\Theta \vdash \tau_1 \cup \tau_2 <:_{\text{SI}} \tau'_1 \cup \tau'_2} \quad \frac{\Theta \vdash \tau <:_{\text{SI}} \tau'_i}{\Theta \vdash \tau <:_{\text{SI}} \tau'_1 \cup \tau'_2}
\end{array}$$

Fig. 12. Stratified invertible subtyping for value types: $\boxed{\Theta \vdash \tau <:_{\text{SI}} \tau}$

Julia types. The rule for nominal constructors now directly supports use-site variance without existential types. In particular, it ensures that, for each type argument, the left-hand use-site range is contained within the right-hand use-site range. For example, the subtyping $\vdash \mathbb{C} \langle \perp \ll \text{Int32} \rangle <:_{\text{SI}} \mathbb{C} \langle \perp \ll \top \rangle$ holds, whereas the subtyping $\not\vdash \mathbb{C} \langle \perp \ll \text{Int32} \rangle <:_{\text{SI}} \mathbb{C} \langle \text{Int32} \ll \top \rangle$ does not.

LEMMA 5.1. *For any kind context Θ satisfying $\vdash_{\text{SI}} \Theta$, and for any pair of value types τ and τ' satisfying $\Theta \vdash_{\text{SI}} \tau$ and $\Theta \vdash_{\text{SI}} \tau'$, the following equivalence holds:*

$$\Theta \vdash \tau <:_{\text{JI}} \tau' \iff \Theta \vdash \tau <:_{\text{SI}} \tau'$$

THEOREM 5.2. *For any kind context Θ satisfying $\vdash_{\text{SI}} \Theta$, and for any pair of method signatures ψ and ψ' satisfying $\Theta \vdash_{\text{SI}} \psi$ and $\Theta \vdash_{\text{SI}} \psi'$, the following equivalence holds:*

$$\Theta \vdash \psi <:_{\text{JI}} \psi' \iff \Theta \vdash \psi <:_{\text{SI}} \psi'$$

In addition to bridging invertible subtyping across Julia types and stratified types, Th. 3.1 extends that bridge to declarative subtyping. Consequently, we know that invertible subtyping for

conservative stratified types is reflexive and transitive, which will be useful for proving that our algorithm is complete.

6 DECIDING SUBTYPING FOR STRATIFIED EXISTENTIAL TYPES

At last, we present our algorithm for deciding subtyping of stratified types. Invertible subtyping brought us substantially closer than declarative subtyping by limiting the rules that can apply to any pair of types. Stratification brought us closer still by making recursive search terminating, as we illustrate next. The final step, addressed here, is to deal with the fact that certain rule applications still involve significant choices. In particular, the right existential rule for method signatures has to conjure an instantiating type. It is important to understand, though, that the algorithm is not particularly surprising; it is, for the most part, what one would expect for a constraint-collecting algorithm. It also aligns with Julia’s implementation, aside from various heuristics, e.g. for picking which path to explore first. What is new is the insight that stratification and conservativity offer guarantees that ensure decidability and completeness. That is, stratification and conservativity explain why Julia’s *existing* algorithm works well in practice.

In the following, we differentiate between *rigid* type variables, whose bounds are given by the kind context Θ , and *flexible* variables, on which constraints are collected and eventually solved to produce a corresponding instantiating type. The terminology carries over to types: a *rigid* (resp. *flexible*) type is a one that has only rigid (resp. flexible) type variables.

6.1 Backtracking Proof Search

Invertible subtyping for value types is decidable. The rules in Fig. 12 prescribe a backtracking proof search algorithm which is trivially sound and complete, *provided it terminates*. This latter condition is critical. While F_{Σ}^P satisfies the requirements for backtracking proof search, the search can fail to terminate. In $<_{\text{JI}}$ -subtyping of value types, termination is ensured by a simple decreasing measure.

LEMMA 6.1. *For any kind context Θ satisfying $\vdash^{\text{ws}} \Theta$, and for any pair of value types τ and τ' satisfying $\Theta \vdash^{\text{ws}} \tau$ and $\Theta \vdash^{\text{ws}} \tau'$, the following is decidable:*

$$\Theta \vdash \tau <_{\text{SI}} \tau'$$

Consequently, we can simply define algorithmic subtyping on value types $\boxed{\Theta \vdash \tau <_{\text{SA}} \tau}$ as invertible subtyping on value types $<_{\text{SI}}$.

6.2 Marshalling Type Variables

Because of stratification, complexities typically associated with rigid and flexible variables (such as determining how to solve recursive constraints on flexible variables) are absent from our system.

Recall that stratified subtyping layers the left method-signature rules over the right method-signature rules, which, in turn, are layered over value-type subtyping. Since the only algorithmic rules that would need to introduce rigid or flexible variables for Julia are, respectively, the left and right existential rules, this means we can introduce all rigid variables, and then all flexible variables, and then proceed to value subtyping wherein neither get introduced. Consequently, only rigid variables occur in the left method signature and only flexible variables occur in the right method signature, which is a valuable property. While contravariance might cause left and right to swap, if we track such directionality, we can know whether a variable is rigid or flexible—and what we should do with it—simply by knowing the correct direction and which side of the subtyping the variable is occurring on. Furthermore, when the variable is flexible and we need to collect the other side as a constraint on that variable, the constraint is known to contain only rigid variables. In particular, this means that the constraint cannot be recursive. Thus, we can exploit stratification

$$\begin{array}{c}
\frac{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R \psi' \rightsquigarrow \emptyset}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA} \psi'} \\
\\
\frac{}{\Theta \vdash \perp <:_{SA} \psi'} \\
\\
\frac{\Theta \vdash \psi_1 <:_{SA} \psi' \quad \Theta \vdash \psi_2 <:_{SA} \psi'}{\Theta \vdash \psi_1 \cup \psi_2 <:_{SA} \psi'} \\
\\
\frac{\Theta, \tau_\ell <: X <: \tau_u \vdash \psi <:_{SA} \psi'}{\Theta \vdash \exists \tau_\ell <: X <: \tau_u. \psi <:_{SA} \psi'} \\
\\
\hline
\frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i <:_{SA}^{\rightarrow} \tau_i' \rightsquigarrow K_i}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R (\tau_1', \dots, \tau_n') \rightsquigarrow K_1 \cup \dots \cup K_n} \\
\\
\frac{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R \psi_i' \rightsquigarrow K}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R \psi_1' \cup \psi_2' \rightsquigarrow K} \\
\\
\frac{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R \psi' \rightsquigarrow K_X \quad \Theta \vdash \exists \tau_\ell <: X <: \tau_u. K_X \rightsquigarrow K}{\Theta \vdash (\tau_1, \dots, \tau_n) <:_{SA}^R \exists \tau_\ell <: X <: \tau_u. \psi' \rightsquigarrow K}
\end{array}$$

Fig. 13. Algorithmic subtyping for signatures: $\Theta \vdash \psi <:_{SA} \psi'$ (left) and $\Theta \vdash (\tau, \dots, \tau) <:_{SA}^R \psi \rightsquigarrow K$ (right)

to carefully marshal rigid and flexible variables and thereby prevent all major complexities for constraint solving.

Fig. 13 presents the algorithmic subtyping rules for method signatures. The left rules, interpreted using backtracking proof search, introduce rigid variables on the left until reaching method parameters. The right rules are then also interpreted using backtracking proof search, but with the constraint set K as an output of the search. These right rules introduce flexible variables on the right until reaching method parameters, at which point they defer to constraint-collecting value-type subtyping *with the direction superscript* (\rightarrow) *indicating the flexible variables are on the right*. After those constraints are collected, the respective backtracking proof search returns the resulting constraint set. Furthermore, the right existential rules each solve the constraints for the flexible variables they introduced—in reverse order—using the constraint-solving algorithm discussed in Section 6.4. Due to explicit flexible-variable bounds possibly referring to previously introduced flexible variables, constraint resolution can result in more constraints on those previously introduced variables.

THEOREM 6.2. *For any pair of method signatures ψ and ψ' satisfying $\cdot \vdash^{WS} \psi$ and $\cdot \vdash^{WS} \psi'$, the following is decidable:*

$$\cdot \vdash \psi <:_{SA} \psi'$$

THEOREM 6.3. *For any pair of method signatures ψ and ψ' satisfying $\cdot \vdash_{SA} \psi$ and $\cdot \vdash_{SA} \psi'$, the following equivalence holds:*

$$\cdot \vdash \psi <:_{SI} \psi' \iff \cdot \vdash \psi <:_{SA} \psi'$$

6.3 Directed Constraint Collection

After method-signature subtyping takes care of introducing, and later solving, all variables, only value types are needed to determine the constraints flexible variables need to satisfy. The constraint sets K collected during this process are finite sets of constraints of either the form $X \geq \tau_\ell$ or $X \leq \tau_u$, where X is a flexible variable and τ_ℓ and τ_u are rigid types. In order to maintain these invariants, constraint-collecting subtyping is directed. A direction δ is either \leftarrow or \rightarrow , with the arrow pointing from the side with the rigid type to the side with the flexible type. In the case of contravariance, the direction is reversed, denoted $-\delta$, in the obvious manner. Using these new concepts, the rules for constraint-collecting algorithmic subtyping for value types are presented in Fig. 14.

$$\begin{array}{c}
 \frac{}{\Theta \vdash \tau <:_{\text{SA}}^{\delta} \top \rightsquigarrow \emptyset} \qquad \frac{}{\Theta \vdash \perp <:_{\text{SA}}^{\delta} \tau \rightsquigarrow \emptyset} \\
 \\
 \frac{}{\Theta \vdash X <:_{\text{SA}}^{\leftarrow} \tau \rightsquigarrow X \leq \tau} \qquad \frac{}{\Theta \vdash \tau <:_{\text{SA}}^{\rightarrow} X \rightsquigarrow X \geq \tau} \\
 \\
 \frac{\tau_\ell <: X <: \tau_u \in \Theta \quad \Theta \vdash \tau_u <:_{\text{SA}}^{\rightarrow} \tau \rightsquigarrow K}{\Theta \vdash X <:_{\text{SA}}^{\rightarrow} \tau \rightsquigarrow K} \qquad \frac{\tau_\ell <: X <: \tau_u \in \Theta \quad \Theta \vdash \tau <:_{\text{SA}}^{\leftarrow} \tau_\ell \rightsquigarrow K}{\Theta \vdash \tau <:_{\text{SA}}^{\leftarrow} X \rightsquigarrow K} \\
 \\
 \frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i <:_{\text{SA}}^{\delta} \tau_i^! \rightsquigarrow K_i}{\Theta \vdash \tau_1 \times \dots \times \tau_n <:_{\text{SA}}^{\delta} \tau_1^! \times \dots \times \tau_n^! \rightsquigarrow K_1 \cup \dots \cup K_n} \\
 \\
 \frac{\forall i \in [1, n] \quad \Theta \vdash \tau_i^{\ell} <:_{\text{SA}}^{-\delta} \tau_i^{\ell} \rightsquigarrow K_i^{\ell} \quad \Theta \vdash \tau_i^u <:_{\text{SA}}^{\delta} \tau_i^{u!} \rightsquigarrow K_i^u}{\Theta \vdash C(\tau_1^{\ell} \ll \tau_1^u \dots \tau_n^{\ell} \ll \tau_n^u) <:_{\text{SA}}^{\delta} C(\tau_1^{\ell} \ll \tau_1^{u!} \dots \tau_n^{\ell} \ll \tau_n^{u!}) \rightsquigarrow K_1^{\ell} \cup K_1^u \cup \dots \cup K_n^{\ell} \cup K_n^u} \\
 \\
 \frac{\Theta \vdash \tau_1 <:_{\text{SA}}^{\delta} \tau \rightsquigarrow K_1 \quad \Theta \vdash \tau_2 <:_{\text{SA}}^{\delta} \tau \rightsquigarrow K_2}{\Theta \vdash \tau_1 \cup \tau_2 <:_{\text{SA}}^{\delta} \tau \rightsquigarrow K_1 \cup K_2} \qquad \frac{\Theta \vdash \tau <:_{\text{SA}}^{\delta} \tau_i \rightsquigarrow K}{\Theta \vdash \tau <:_{\text{SA}}^{\delta} \tau_1 \cup \tau_2 \rightsquigarrow K}
 \end{array}$$

 Fig. 14. Constraint-collecting algorithmic subtyping for value types: $\boxed{\Theta \vdash \tau <:_{\text{SA}}^{\delta} \tau \rightsquigarrow K}$

These rules have a clear correspondence with (non-constraint-collecting) algorithmic (i.e. invertible) subtyping. Most of them simply furthermore propagate the constraints collected from the premises. The only interesting rules are those for variables. If the direction points to the variable, then the corresponding constraint on that necessarily flexible variable is generated—this is the only way in which constraints are introduced. Otherwise, if the direction points away from the variable, the appropriate bound on that necessarily rigid variable is employed.

In order to discuss the properties of constraint collection formally, we need to introduce notions of assignments, substitutions, and satisfaction. An assignment θ is a finite partial mapping of type variables X to value types $\theta(X)$. Assignments extend to substitutions on value types $\tau[\theta]$ in the obvious manner. An assignment between kind contexts is one that satisfies $\boxed{\vdash \theta : \Theta_F \rightarrow \Theta_R}$ if, for each $\tau_\ell <: X <: \tau_u \in \Theta_F$, a corresponding type $\theta(X)$ exists and is conservative in Θ_R (i.e. $\Theta_R \vdash_{\text{SA}} \theta(X)$ holds) and lies between its substituted bounds (i.e. $\Theta_R \vdash \tau_\ell[\theta] <:_{\text{SA}} \theta(X)$ and $\Theta_R \vdash \theta(X) <:_{\text{SA}} \tau_u[\theta]$ hold), where Θ_F and Θ_R bind flexible and rigid variables, respectively.

A constraint set is valid, $\boxed{\Theta_R \vdash K \dashv \Theta_F}$, when the bound variable in each constraint is declared in Θ_F and the constraining type in each constraint is rigid (i.e. conservative in Θ_R). An assignment θ from Θ_F to Θ_R satisfies a constraint set, $\boxed{\Theta_R \vdash_{\text{SA}} \theta \dashv K}$, if for each constraint the value type assigned to the variable by θ is an algorithmic supertype/subtype of the constraining type in Θ_R .

LEMMA 6.4. *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash_{\text{SA}} \tau$ and $\Theta_F \vdash_{\text{SA}} \tau'$, the following hold:*

Marshalling *Any constraint set K satisfying $\Theta_R \vdash \tau <:_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$ is valid, i.e. $\Theta_R \vdash K \dashv \Theta_F$ holds.*

Soundness *For any constraint set K satisfying $\Theta_R \vdash \tau <:_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$, any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$ also satisfies $\Theta_R \vdash \tau <:_{\text{SA}} \tau'[\theta]$.*

$$\frac{
\begin{array}{l}
\forall X \geq \tau'_\ell \in K, X \leq \tau'_u \in K. \quad \Theta \vdash \tau'_\ell <:_{\text{SA}} \tau'_u \\
\forall X \geq \tau'_\ell \in K. \quad \Theta \vdash \tau'_\ell <:_{\text{SA}} \tau_u \rightsquigarrow K_{\tau'_\ell}^\ell \quad \forall X \leq \tau'_u \in K. \quad \Theta \vdash \tau_\ell <:_{\text{SA}} \tau'_u \rightsquigarrow K_{\tau'_u}^u \\
K_\ell = \{X' \geq \tau'_\ell \in K \mid X' \neq X\} \quad K_u = \{X' \leq \tau'_u \in K \mid X' \neq X\}
\end{array}
}{
\Theta \vdash \exists \tau_\ell <: X <: \tau_u. K \rightsquigarrow K_\ell \cup K_u \cup_{X \geq \tau'_\ell \in K} K_{\tau'_\ell}^\ell \cup_{X \leq \tau'_u \in K} K_{\tau'_u}^u
}$$

Fig. 15. Constraint solving: $\boxed{\Theta \vdash \exists \tau <: X <: \tau. K \rightsquigarrow K}$

Completeness For any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$, if $\Theta_R \vdash \tau <:_{\text{SA}} \tau'[\theta]$ holds then there exists a constraint set K such that $\Theta_R \vdash \tau <:_{\text{SA}} \tau' \rightsquigarrow K$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$ hold.

Computability The set of constraint sets K satisfying $\Theta_R \vdash \tau <:_{\text{SA}} \tau' \rightsquigarrow K$ is finite and computably enumerable.

Likewise for the opposite direction (\leftarrow), though with τ and τ' satisfying $\Theta_F \vdash_{\text{SA}} \tau$ and $\Theta_R \vdash_{\text{SA}} \tau'$ instead.

6.4 Constraint Solving

If constrained subtyping succeeds and generates a constraint set K , the constraints on the most recently introduced unsolved flexible variable X are then solved by employing backtracking proof search on the rule for the judgment $\Theta \vdash \exists \tau_\ell <: X <: \tau_u. K \rightsquigarrow K'$ given in Fig. 15. To understand the design of this rule, it is important to be mindful of where rigid and flexible variables can and cannot occur. All types that are constraining variables in K necessarily contain only rigid variables. On the other hand, the bounds τ_ℓ and τ_u of X necessarily contain only flexible variables (and do not contain X).

Each premise of the rule in Fig. 15 corresponds to a step of the (backtracking) algorithm:

- (1) For each pair of (necessarily rigid) collected lower bound τ'_ℓ and collected upper bound τ'_u on X in K , fail unless τ'_ℓ is a subtype of τ'_u , since transitivity implies this must hold for any instantiation of X .
- (2) For each (necessarily rigid) collected lower bound τ'_ℓ on X in K , let $K_{\tau'_\ell}^\ell$ be a constraint set collected from checking that τ'_ℓ is a subtype of the (necessarily flexible) given upper bound τ_u of X , which again transitivity implies must hold for any instantiation of X .
- (3) For each (necessarily rigid) collected upper bound τ'_u on X in K , let $K_{\tau'_u}^u$ be a constraint set collected from checking that the (necessarily flexible) given lower bound τ_ℓ of X is a subtype of τ'_u , which again transitivity implies must hold for any instantiation of X .
- (4) Let K_ℓ be the set of (necessarily rigid) collected lower bounds on variables other than X , whose rigidity ensures they do not contain X .
- (5) Let K_u be the set of (necessarily rigid) collected upper bounds on variables other than X , whose rigidity ensures they do not contain X .

Then the algorithm returns the union of all the constructed constraint sets. One might be surprised that the algorithm never actually constructs a satisfying instantiation of X . This is because stratification and consistency were able to ensure that none of the remaining constraints contain X , and so instantiating it would have no effect on the constraint set. Nonetheless, instantiating X with the union of its given and collected lower bounds necessarily satisfies its constraints (relying on the fact that consistency ensures its given lower bound is a subtype of its given upper bound), and as such the following holds.

LEMMA 6.5. For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ_ℓ and τ_u satisfying $\Theta_F \vdash_{\text{SA}} \tau_\ell$ and $\Theta_F \vdash_{\text{SA}} \tau_u$ and $\Theta_F \vdash \tau_\ell <_{\text{SA}} \tau_u$, for any type variable X not declared by either Θ_R or Θ_F , and for any constraint set K satisfying $\Theta_R \vdash K \dashv \Theta_F, \tau_\ell < X < \tau_u$, the following hold:

Marshalling Any constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ is valid without X , i.e. $\Theta_R \vdash K' \dashv \Theta_F$ holds.

Soundness For any constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ and any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$, if $\Theta_R \vdash_{\text{SA}} \theta \dashv K'$ holds then there exists a value type τ_X satisfying $\Theta_R \vdash_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_\ell[\theta] <_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_X <_{\text{SA}} \tau_u[\theta]$ such that $\Theta_R \vdash_{\text{SA}} \theta, X \mapsto \tau_X \dashv K$ holds.

Completeness For any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$ and any value type τ_X satisfying $\Theta_R \vdash_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_\ell[\theta] <_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_X <_{\text{SA}} \tau_u[\theta]$, if $\Theta_R \vdash_{\text{SA}} \theta, X \mapsto \tau_X \dashv K$ holds then there exists a constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K'$.

Computability The set of constraint sets K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ is finite and computably enumerable.

6.5 Example of Constraint Collection and Solving

To illustrate how the algorithm works more concretely, consider the subtyping between signatures $(\text{String}, \text{Ref}\langle \text{Int} \rangle)$ and $\exists \perp < X < \top. \exists \perp < Y < X. (X, \text{Ref}\langle Y \rangle)$. This subtyping should hold because X and Y can be instantiated with value types $\text{String} \cup \text{Int}$ and Int . The following derivation illustrates the generation of the necessary constraints on type variables X and Y .

$$\begin{array}{c}
 \frac{}{\vdash \text{Int} <_{\text{SA}}^{\rightarrow} Y \rightsquigarrow Y \leq \text{Int} \quad \vdash Y <_{\text{SA}}^{\leftarrow} \text{Int} \rightsquigarrow Y \geq \text{Int}} \\
 \frac{}{\vdash \text{String} <_{\text{SA}}^{\rightarrow} X \rightsquigarrow X \geq \text{String} \quad \vdash \text{Ref}\langle \text{Int} \rangle <_{\text{SA}}^{\rightarrow} \text{Ref}\langle Y \rangle \rightsquigarrow \{Y \geq \text{Int}, Y \leq \text{Int}\}} \\
 \frac{}{\vdash (\text{String}, \text{Ref}\langle \text{Int} \rangle) <_{\text{SA}}^{\text{R}} (X, \text{Ref}\langle Y \rangle) \rightsquigarrow \{X \geq \text{String}, Y \geq \text{Int}, Y \leq \text{Int}\}} \quad (b) \\
 \frac{}{\vdash (\text{String}, \text{Ref}\langle \text{Int} \rangle) <_{\text{SA}}^{\text{R}} \exists \perp < Y < X. (X, \text{Ref}\langle Y \rangle) \rightsquigarrow \{X \geq \text{String}, X \geq \text{Int}\}} \quad (a) \\
 \frac{}{\vdash (\text{String}, \text{Ref}\langle \text{Int} \rangle) <_{\text{SA}}^{\text{R}} \exists \perp < X < \top. \exists \perp < Y < X. (X, \text{Ref}\langle Y \rangle) \rightsquigarrow \emptyset} \\
 \frac{}{\vdash (\text{String}, \text{Ref}\langle \text{Int} \rangle) <_{\text{SA}} \exists \perp < X < \top. \exists \perp < Y < X. (X, \text{Ref}\langle Y \rangle)}
 \end{array}$$

Since there is no existential quantification on the left, subtyping starts by opening right existential types (X first, then Y) until method parameters are reached. For value types, directed constraint-collecting subtyping $<_{\text{SA}}^{\rightarrow}$ generates constraints on flexible variables X and Y . Initially, flexible variables appear only on the right of the judgment, and thus, $<_{\text{SA}}^{\rightarrow}$ used for tuple components points to the right; furthermore, constraints themselves are free from flexible variables due to constraining types coming from the opposite side of the judgment. Whenever constraint-collecting subtyping hits an invariant constructor, flexible variables move to the opposite side in one half of checking the required equivalence, which is why left-facing $<_{\text{SA}}^{\leftarrow}$ is used for $\vdash Y <_{\text{SA}}^{\leftarrow} \text{Int} \rightsquigarrow Y \geq \text{Int}$.

Once all constraints induced by subtyping of value types are collected, they are solved for the innermost flexible variable, Y in the example, incorporating its explicitly given bounds. Here, (b) denotes a constraint-solving step for the innermost variable Y :

$$\frac{\vdash \text{Int} <_{\text{SA}} \text{Int} \quad \vdash \perp <_{\text{SA}}^{\leftarrow} \text{Int} \rightsquigarrow \emptyset \quad \vdash \text{Int} <_{\text{SA}}^{\rightarrow} X \rightsquigarrow X \geq \text{Int}}{\vdash \exists \perp < Y < X. \{X \geq \text{String}, Y \geq \text{Int}, Y \leq \text{Int}\} \rightsquigarrow \{X \geq \text{String}, X \geq \text{Int}\}}$$

It checks that the (single) collected lower bound is a subtype of the (single) collected upper bound, the given lower bound is a subtype of the (single) collected upper bound, and the (single) collected

lower bound is a subtype of the given upper bound. In the first check, both types are necessarily rigid, so no constraint-collection is performed. The second check succeeds without additional constraints. But the third check imposes a new constraint on X , which is added to the collection of preexisting constraints on X . These checks confirm that Y can be correctly instantiated as the union of its given and (single) collected lower bound: $\perp \cup \text{Int}$.

Next, (a) denotes a constraint-solving step for the outermost variable X :

$$\frac{\vdash \text{String} <:_{\text{SA}}^{\rightarrow} \top \rightsquigarrow \emptyset \quad \vdash \text{Int} <:_{\text{SA}}^{\rightarrow} \top \rightsquigarrow \emptyset}{\vdash \exists \perp <: X <: \top. \{X \geq \text{String}, X \geq \text{Int}\} \rightsquigarrow \emptyset}$$

It checks that the (two) collected lower bounds are subtypes of the given upper bound, which both succeed without additional constraints (as would always be the case when solving the final flexible variable), and then it has no more checks to perform because there are no collected upper bounds on X . These checks confirm that X can be correctly instantiated as the union of its given and collected lower bounds: $\perp \cup \text{String} \cup \text{Int}$.

After the outermost variable, the invariants granted by stratification and consistency ensure the resulting constraint set is empty. So, if this point is reached by the backtracking proof search, the subtyping between method signatures necessarily holds.

6.6 Sound and Complete Subtyping Algorithm

Putting all the pieces together, we show that algorithmic subtyping for method signatures provides a sound and complete decision procedure for declarative subtyping on conservative stratified types.

THEOREM 6.6 (DECIDABILITY OF CONSERVATIVE AND STRATIFIED JULIA). *For any pair of method signatures ψ and ψ' satisfying $\cdot \vdash_{\text{SA}} \psi$ and $\cdot \vdash_{\text{SA}} \psi'$, the following is decidable:*

$$\cdot \vdash \psi <:_{\text{JD}}^{\text{C}} \psi'$$

PROOF. By Th. 3.1, Th. 5.2, and Th. 6.3, the above subtyping holds iff $\cdot \vdash \psi <:_{\text{SA}} \psi'$. By Th. 6.2, the latter is decidable. \square

7 RELATED WORK

Designing decidable subtyping for production languages is challenging. Recent results include proofs of undecidability for Java generics by Grigore [2017] and Scala 3 by Hu and Lhoták [2019]. Expressiveness and decidability exist in a trade-off space. Users may prefer more expressive types even if the compiler may fail, as long as failures are rare cases. Failures that can manifest at run-time are more serious. Mainstream languages with subtyping usually restrict run-time subtype queries [Kennedy and Pierce 2007]. This is not so in Julia, as its full subtype relation is exercised at run-time.

Aiming for decidability, Julia's designers deliberately avoided features already established to be problematic, such as F-bounded polymorphism, contravariant nominal constructors, and multiple inheritance. Based on those restrictions, Bezanson [2015] conjectured decidability. However, he did point out that the combination of nominal constructors and contravariance in lower bounds of existential types is akin to the source of undecidability in F_{\leq} , which we have now formally established.

System F_{\leq} . Introduced by Cardelli et al. [1991], System F_{\leq} combines System F and subtyping. As already mentioned, F_{\leq} provides bounded universal quantification, whereas Julia provides bounded existential quantification. This difference is dual in nature and so not particularly impactful upon algorithmic concerns. However, there is another much more algorithmically-impactful difference: subtyping in F_{\leq} is restricted so that the only subtypes/supertypes of universally quantified types

are universally quantified types—that is, quantifications must align. There is a good reason for this difference: unlike Julia, F_{\leq} supports explicit type application, which only makes sense if quantifications stay aligned. Regardless of the reason, this difference means F_{\leq} avoids a major challenge that Julia faces: whereas Julia needs to find a suitable instantiating type for a quantified variable, in F_{\leq} that instantiating type is explicitly restricted to be the quantified variable of the other type. This makes F_{\leq} 's invertible subtype truly syntax-directed, whereas Julia must resort to collecting and solving constraints on flexible variables.

Yet, despite F_{\leq} 's restrictive subtyping, Pierce [1992] proved it can encode the halting problem for two-counter machines [Hopcroft and Ullman 1990] and therefore is undecidable. Yet there are variations of F_{\leq} for which subtyping is decidable.

Restricting Subtyping. Kernel F_{\leq} [Cardelli and Wegner 1985] forces even more alignment between subtypes: not only must quantifications align, they must have the identical bounds as well. This restriction is decidable, though rather limiting. Hu and Lhoták [2019] and Mackay et al. [2019] have shown that one can relax this by splitting the kind context into left and right parts so that, effectively, each bound is only used by the type that introduced it. However, this causes subtyping to no longer satisfy transitivity.

Restricting Types. Instead of restricting subtyping, Mackay et al. [2020] achieved decidability while retaining transitivity by instead restricting types. In fact, their solution is to stratify types into impredicative and predicative layers. The impredicative layer has more restrictive subtyping, akin to Kernel F_{\leq} , whereas the predicative layer has more restrictive types. It is interesting that we arrived at a similar stratification though for a very different reason. In particular, we discovered that stratification eliminated the complexities Julia faced in constraint solving by, in particular, entirely avoiding the possibility of recursive constraints. On the other hand, Mackay et al. [2020] still rely on the quantification alignment inherent in F_{\leq} and as such have no concern for constraint solving. This difference in concerns explains the difference in where stratification is imposed in the two systems.

Beyond F_{\leq} , this approach of restricting types has been applied to prior practical systems as well. Kennedy and Pierce [2007] identified three decidable fragments of undecidable subtyping in the context of nominal inheritance and variance: the fragments can be obtained by restricting either contravariance, expansive class tables, or multiple-instantiation inheritance. Greenman et al. [2014] proposed a material-shape separation for Java generics that recovers decidability: it limits F-bounded polymorphism to the subset of types, called shapes, used exclusively as constraints. As we have, they conducted a corpus analysis to demonstrate that this restriction would be compatible with how programmers were using types in practice. Mackay et al. [2019] extend the material-shape separation to path-dependent and recursive types.

Bounded Existentials. In Java, a variable of type `List<? extends Number>` can be assigned any list whose elements are a subtype of `Number`. The “?” is known as a wildcard, and this wildcard-typed list effectively represents $\exists X<: \text{Number}. \text{List}<X>$. The wildcard mechanism of Java generics [Torgersen et al. 2004] is an encoding of use-site variance [Igarashi and Viroli 2002; Krab Thorup and Torgersen 1999], which is another widely used restricted form of bounded existential types. There have been multiple formalizations of Java wildcards [Cameron et al. 2008; Torgersen et al. 2005], though they focused on type soundness rather than decidability. Smith and Cartwright [2008] found inconsistencies in Java's type inference and subtyping algorithms and proposed a solution using a limited form of union types, with a conjecture on the decidability of subtyping. Wehr and Thiemann [2009] identified multiple undecidable subtype relations for bounded existential types in formal models inspired by Java. Tate et al. [2011] highlighted multiple sources of non-termination in Java

subtyping, e.g. recursive constraints on type variables and wildcards in the inheritance hierarchy. With some practical restrictions, they provide a terminating subtyping algorithm, though this has been mostly superseded by the aforementioned material-shape separation [Greenman et al. 2014].

Rather than encode use-site variance, Morrisett et al. [1998]’s typed assembly language (TAL) uses constrained existential types to track that the unknown exact type of a closure can be passed to the code pointer extracted from that closure. Early works required manually coercing between existential types, but Tate et al. [2010] developed a system with decidable subtyping for and even inferability of its existential types. However, the algorithmic framework they developed [Tate et al. 2008] relies heavily on rigidly structured types, and they illustrate how even \perp -like types (such as the type of a null pointer) cause fundamental problems due to violating this structure.

Subtype Constraints. Constraint generation and solving techniques are used in type inference. Most famously, equality constraints and unification were employed by Hindley [1969] and Damas and Milner [1982] in the context of a functional language with parametric polymorphism. With subtyping, equality constraints become subtype constraints. For example, Aiken and Wimmers [1993] extended Damas–Hindley–Milner inference with subtyping for recursive, union, and intersection types, and gave an algorithm for solving a system of constraints with restricted union and intersection types. Trifonov and Smith [1996] considered polymorphic types with explicit recursive constraints on type variables: they studied a corresponding subtype relation and provided its decidable approximation. Later, Pottier [1998] demonstrated how to improve the performance of inference with subtype constraints. Bourdoncle and Merz [1997] used a restricted form of constrained polymorphic types in a language with multi-methods and decidable subtyping. Castagna et al. [2015] dealt with subtype constraints for set-theoretic types with negation types. Chandra et al. [2016] and Chaudhuri et al. [2017] tackled flow-sensitive type inference with unusual constraint languages going beyond typical subtype constraints.

8 CONCLUSION

Decidability of Julia subtyping can be recovered by restricting types to a stratified grammar for the core of Julia’s type-annotation language, most importantly, bounded existential types. This restriction is practical, as the vast majority of Julia programs already conform to it. However, the formalism presented here is still incomplete; it is missing types such as variadic arguments, and it is missing rules such as distributivity. More work needs to be done to develop a sound and complete algorithm for Julia’s entire feature set.

ACKNOWLEDGMENTS

We thank the PLDI and POPL reviewers for their suggestions and feedback. This work was supported by the Czech Ministry of Education, Youth and Sports under program ERC-CZ, grant agreement LL2325, NSF grants CCF-1910850, CNS-1925644, and CCF-2139612, as well as the GACR EXPRO grant 23-07580X.

REFERENCES

- Alexander Aiken and Edward L. Wimmers. 1993. Type inclusion constraints and type inference. In *Conference on Functional Programming Languages and Computer Architecture (FPCA)*. <https://doi.org/10.1145/165180.165188>
- Julia Belyakova. 2023. *Decidable Subtyping of Existential Types for the Julia Language*. Ph. D. Dissertation. Northeastern University. https://onsearch.library.northeastern.edu/permalink/01NEU_INST/87npqb/cdi_proquest_journals_2853689755
- Jeff Bezanson. 2015. *Abstraction in technical computing*. Ph. D. Dissertation. Massachusetts Institute of Technology. <http://hdl.handle.net/1721.1/99811>
- Jeff Bezanson, Jiahao Chen, Ben Chung, Stefan Karpinski, Viral B. Shah, Jan Vitek, and Lionel Zoubritzky. 2018. Julia: Dynamism and Performance Reconciled by Design. *Proc. ACM Program. Lang.* 2, OOPSLA (2018). <https://doi.org/10.1145/3276490>

- Jeff Bezanson, Alan Edelman, Stefan Karpinski, and Viral B. Shah. 2017. Julia: A Fresh Approach to Numerical Computing. *SIAM Rev.* 59, 1 (2017). <https://doi.org/10.1137/141000671>
- Daniel G. Bobrow, Kenneth Kahn, Gregor Kiczales, Larry Masinter, Mark Stefik, and Frank Zdybel. 1986. CommonLoops: Merging Lisp and Object-Oriented Programming. In *Conference on Object-Oriented Programming Systems, Languages and Applications (OOPSLA)*. <https://doi.org/10.1145/28697.28700>
- François Bourdoncle and Stephan Merz. 1997. Type checking higher-order polymorphic multi-methods. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/263699.263743>
- Nicholas Cameron, Sophia Drossopoulou, and Erik Ernst. 2008. A Model for Java with Wildcards. In *European Conference on Object-Oriented Programming (ECOOP)*. https://doi.org/10.1007/978-3-540-70592-5_2
- Luca Cardelli, Simone Martini, John C. Mitchell, and Andre Scedrov. 1991. An Extension of System F with Subtyping. In *Theoretical Aspects of Computer Software (TACS)*. https://doi.org/10.1007/3-540-54415-1_73
- Luca Cardelli and Peter Wegner. 1985. On Understanding Types, Data Abstraction, and Polymorphism. *ACM Comput. Surv.* 17, 4 (1985). <https://doi.org/10.1145/6041.6042>
- Giuseppe Castagna and Alain Frisch. 2005. A Gentle Introduction to Semantic Subtyping. In *Principles and Practice of Declarative Programming (PPDP)*. <https://doi.org/10.1145/1069774.1069793>
- Giuseppe Castagna, Kim Nguyen, Zhiwu Xu, and Pietro Abate. 2015. Polymorphic Functions with Set-Theoretic Types: Part 2: Local Type Inference and Type Reconstruction. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/2676726.2676991>
- Satish Chandra, Colin S. Gordon, Jean-Baptiste Jeannin, Cole Schlesinger, Manu Sridharan, Frank Tip, and Youngil Choi. 2016. Type inference for static compilation of JavaScript. <https://doi.org/10.1145/2983990.2984017>
- Avik Chaudhuri, Panagiotis Vekris, Sam Goldman, Marshall Roch, and Gabriel Levi. 2017. Fast and precise type checking for JavaScript. *Proc. ACM Program. Lang.* 1, OOPSLA (2017). <https://doi.org/10.1145/3133872>
- Benjamin Chung. 2023. *A type system for Julia*. Ph. D. Dissertation. Northeastern University. <https://arxiv.org/abs/2310.16866>
- Benjamin Chung, Francesco Zappa Nardelli, and Jan Vitek. 2019. Julia's Efficient Algorithm for Subtyping Unions and Covariant Tuples. In *European Conference on Object-Oriented Programming (ECOOP)*. <https://doi.org/10.4230/LIPICs.ECOOP.2019.24>
- Pierre-Louis Curien and Giorgio Ghelli. 1990. Coherence of subsumption. In *Colloquium on Trees in Algebra and Programming (CAAP)*. https://doi.org/10.1007/3-540-52590-4_45
- Luis Damas and Robin Milner. 1982. Principal type-schemes for functional programs. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/582153.582176>
- Jean-Yves Girard. 1987. Linear logic. *Theoretical Computer Science* (1987). [https://doi.org/10.1016/0304-3975\(87\)90045-4](https://doi.org/10.1016/0304-3975(87)90045-4)
- Ben Greenman, Fabian Muehlboeck, and Ross Tate. 2014. Getting F-Bounded Polymorphism into Shape. In *Conference on Programming Language Design and Implementation (PLDI)*. <https://doi.org/10.1145/2594291.2594308>
- Radu Grigore. 2017. Java Generics Are Turing Complete. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/3009837.3009871>
- Roger Hindley. 1969. The Principal Type-Scheme of an Object in Combinatory Logic. *Trans. Amer. Math. Soc.* (1969). <https://doi.org/10.2307/1995158>
- John Hopcroft and Jeffrey Ullman. 1990. *Introduction To Automata Theory, Languages, And Computation*. Addison-Wesley.
- Jason Z. S. Hu and Ondřej Lhoták. 2019. Undecidability of D<: And Its Decidable Fragments. *Proc. ACM Program. Lang.* 4, POPL (2019). <https://doi.org/10.1145/3371077>
- Atsushi Igarashi and Mirko Viroli. 2002. On Variance-Based Subtyping for Parametric Types. In *European Conference on Object-Oriented Programming (ECOOP)*. https://doi.org/10.1007/3-540-47993-7_19
- Andrew Kennedy and Benjamin C. Pierce. 2007. On Decidability of Nominal Subtyping with Variance. In *Foundations and Developments of Object-Oriented Languages (FOOL)*. <https://www.microsoft.com/en-us/research/publication/undecidability-of-nominal-subtyping-with-variance/>
- Kresten Krab Thorup and Mads Torgersen. 1999. Unifying Generativity. In *European Conference on Object-Oriented Programming (ECOOP)*. https://doi.org/10.1007/3-540-48743-3_9
- Julian Mackay, Alex Potanin, Jonathan Aldrich, and Lindsay Groves. 2019. Decidable Subtyping for Path Dependent Types. *Proc. ACM Program. Lang.* 4, POPL (2019). <https://doi.org/10.1145/3371134>
- Julian Mackay, Alex Potanin, Jonathan Aldrich, and Lindsay Groves. 2020. Syntactically Restricting Bounded Polymorphism for Decidable Subtyping. In *Programming Languages and Systems (APLAS)*. https://doi.org/10.1007/978-3-030-64437-6_7
- Greg Morrisett, David Walker, Karl Cray, and Neal Glew. 1998. From System F to Typed Assembly Language. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/268946.268954>
- Artem Pelenitsyn, Julia Belyakova, Benjamin Chung, Ross Tate, and Jan Vitek. 2021. Type Stability in Julia: Avoiding Performance Pathologies in JIT Compilation. *Proc. ACM Program. Lang.* 5, OOPSLA (2021). <https://doi.org/10.1145/3485527>
- Benjamin C. Pierce. 1992. Bounded Quantification is Undecidable. In *Symposium on Principles of Programming Languages (POPL)*. <https://doi.org/10.1145/143165.143228>

- Franc ois Pottier. 1998. A framework for type inference with subtyping. In *International Conference on Functional Programming (ICFP)*. <https://doi.org/10.1145/289423.289448>
- Daniel Smith and Robert Cartwright. 2008. Java Type Inference is Broken: Can We Fix It?. In *Conference on Object-Oriented Programming Systems, Languages and Applications (OOPSLA)*. <https://doi.org/10.1145/1449764.1449804>
- Ross Tate, Juan Chen, and Chris Hawblitzel. 2008. *A Flexible Framework for Type Inference with Existential Quantification*. Technical Report MSR-TR-2008-184. <https://www.microsoft.com/en-us/research/publication/a-flexible-framework-for-type-inference-with-existential-quantification/>
- Ross Tate, Juan Chen, and Chris Hawblitzel. 2010. Inferable object-oriented typed assembly language. In *Conference on Programming Language Design and Implementation (PLDI)*. <https://doi.org/10.1145/1806596.1806644>
- Ross Tate, Alan Leung, and Sorin Lerner. 2011. Taming Wildcards in Java’s Type System. In *Conference on Programming Language Design and Implementation (PLDI)*. <https://doi.org/10.1145/1993498.1993570>
- Mads Torgersen, Erik Ernst, and Christian Plesner Hansen. 2005. Wild FJ. In *Foundations of Object-Oriented Languages (FOOL)*. https://homepages.inf.ed.ac.uk/wadler/fool/program/final/14/14_Paper.pdf
- Mads Torgersen, Christian Plesner Hansen, Erik Ernst, Peter von der Ahé, Gilad Bracha, and Neal Gafter. 2004. Adding Wildcards to the Java Programming Language. In *Symposium on Applied Computing (SAC)*. <https://doi.org/10.1145/967900.968162>
- Valery Trifonov and Scott Smith. 1996. Subtyping constrained types. In *Static Analysis Symposium (SAS)*. https://doi.org/10.1007/3-540-61739-6_52
- Stefan Wehr and Peter Thiemann. 2009. On the Decidability of Subtyping with Bounded Existential Types. In *Programming Languages and Systems (ESOP)*. https://doi.org/10.1007/978-3-642-10672-9_10
- Francesco Zappa Nardelli, Julia Belyakova, Artem Pelenitsyn, Benjamin Chung, Jeff Bezanson, and Jan Vitek. 2018. Julia Subtyping: A Rational Reconstruction. *Proc. ACM Program. Lang.* 2, OOPSLA (2018). <https://doi.org/10.1145/3276483>

A APPENDIX

The following material contains additional definitions and detailed proofs from several sections of the paper.

3 SPECIFICATION OF SUBTYPING

Conservativity

Section 3 introduced the notion of conservative types. A type is conservative if all the lower bounds of existential variables are proper subtypes of the corresponding upper bounds. The Julia implementation does not enforce this property, and inconsistencies are simply caught when they are exercised.

With stratified invertible subtyping, we were able to demonstrate that restricting quantification to range over only value types did not narrow the subtype relation. In particular, we showed how one could transform a proof between stratified types that used a (conservative) unstratified-type existential instantiation into a proof that used a value-type existential instantiation.

Originally, we had expected the same to hold for nonconservative types. However, we eventually discovered, with a concrete counterexample, that this is impossible. Because this is not the focus of this paper, in the following, we speak less precisely, omitting the theorems and proofs that, although unable to support the expected equivalence, support the following claims.

Let $T(\sigma)$ denote the unary tuple type with σ as its argument. Then consider the following two types, both of which are conservative, where $\text{Contra}\langle t \rangle$ is a shorthand for $\exists t <: X <: T. C\langle X \rangle$ and $\text{Contra}\langle t \ll T \rangle$ is a shorthand for $\exists t <: X <: T. \text{Contra}\langle X \rangle$:

$$\begin{aligned}\sigma_\ell &= \text{Contra}\langle (\exists X. \text{Inv}\langle X, X \rangle) \ll T \rangle \\ \sigma_u &= \exists X'. \text{Contra}\langle \text{Inv}\langle X', T(X') \rangle \ll T \rangle\end{aligned}$$

With a bit of work, one can deduce that the statement $\vdash \sigma_\ell <_{\text{jd}}^c \sigma_u$ holds if and only if there is some conservative type $\sigma_{X'}$ such that there exists some (conservative) type σ_X that is equivalent to both $\sigma_{X'}$ and $T(\sigma_{X'})$. Or, more simply, if and only if there is some conservative type $\sigma_{X'}$ that is equivalent to $T(\sigma_{X'})$. Similarly, the statement $\vdash \sigma_\ell <_{\text{jd}}^{\text{ws}} \sigma_u$ holds if and only if there is some well-scoped type $\sigma_{X'}$ that is equivalent to $T(\sigma_{X'})$. We will demonstrate that there is no such conservative type, but there is such a well-scoped type. Thus, the difference in the range of types these subtype relations quantify over makes them meaningfully different even on conservative types.

First, we show that there is no such conservative type. Let $T^0(\sigma) = \sigma$ and $T^{n+1}(\sigma) = T(T^n(\sigma))$. For any conservative type σ , one can prove by induction on σ that if it is a subtype of $T^n(\perp)$ for all n , then there necessarily exists an n such that it is a subtype of $T^n(\perp)$. As a consequence, by covariance of T a conservative type σ can be a subtype of $T(\sigma)$ only if it is a subtype of $T^n(\perp)$. If σ is furthermore a supertype of $T(\sigma)$, then $T(\sigma)$ is a subtype of σ and, by transitivity, a subtype of $T^n(\perp)$, from which one can derive (in the empty kind context) that σ is a subtype of $T^{n-1}(\perp)$. Repeating this process informs us that σ is a subtype of \perp . But then $T(\sigma)$ (and consequently $T(\perp)$) is a subtype of \perp , which is impossible (in the empty kind context). Thus no conservative type σ can be equivalent to $T(\sigma)$.

On the other hand, the nonconservative type $\sigma_\mu = \exists X. \exists X <: X' <: T(X). X$ is equivalent to $T(\sigma_\mu)$. Looking at this type, besides the fact that the lower bound X is not a subtype of the upper bound $T(X)$, it has the odd property that it quantifies over a type variable X' that it never actually seems to use. The key is that, even if it is never used, this variable is instantiable only when the variable X is a subtype of $T(X)$. Thus, nonconservative bounds can be used to encode conditions. As such, the keen reader might notice that this is standard impredicative encoding of coinduction: there exists a type X for which we are given a T -coalgebra and an initial state. With this encoding

we can prove that σ_μ is a subtype of $T(\sigma_\mu)$:

$$\frac{\frac{\vdots}{X, X <: X' <: T(X) \vdash T(X)} \quad \frac{\left(\begin{array}{c} \text{(use transitivity with } X') \\ \text{and bounds on } X' \end{array} \right)}{X, X <: X' <: T(X) \vdash X <: T(X)} \quad \frac{\text{(instantiate with } X \text{ twice)}}{X, X <: X' <: T(X) \vdash X <: \sigma_\mu = \exists X. \exists X <: X' <: T(X). X}}{X, X <: X' <: T(X) \vdash T(X) <: T(\sigma_\mu)}}{\frac{X, X <: X' <: T(X) \vdash X <: T(\sigma_\mu)}{X \vdash \exists X <: X' <: T(X). X <: T(\sigma_\mu)}}{\vdash \sigma_\mu = \exists X. \exists X <: X' <: T(X). X <: T(\sigma_\mu)}}$$

Notice how, even though X' does not occur in the type, we use transitivity and its bounds to effectively inject a recursive lower bound on X . Using this proof, we can then prove that $T(\sigma_\mu)$ is a subtype of σ_μ :

$$\frac{\frac{\vdots}{\vdash T(\sigma_\mu)} \quad \frac{\text{(reflexivity)}}{\vdash T(\sigma_\mu) <: T(\sigma_\mu)} \quad \frac{\text{(given above)}}{\vdash T(\sigma_\mu) <: T(\sigma_\mu)} \quad \frac{\text{(reflexivity)}}{\vdash T(\sigma_\mu) <: T(\sigma_\mu)}}{\frac{\vdash T(\sigma_\mu) <: \exists T(\sigma_\mu) <: X' <: T(T(\sigma_\mu)). T(\sigma_\mu)}{\vdash T(\sigma_\mu) <: \sigma_\mu = \exists X. \exists X <: X' <: T(X). X}}$$

Thus, there exists a nonconservative type σ_μ that is equivalent to $T(\sigma_\mu)$ even though there is no such conservative type. Because of this, $\vdash \sigma_\ell <:_{\text{JD}}^{\text{WS}} \sigma_u$ holds even though $\vdash \sigma_\ell <:_{\text{JD}}^{\text{C}} \sigma_u$ does not despite σ_ℓ and σ_u both being conservative. As such, it is impossible to transform an arbitrary proof instantiating existential types with nonconservative types into a proof instantiating with only conservative types, even when the original kind context and types are conservative.

Fortunately, this conservativity gap does not invalidate our findings.

For one, nonconservative types are not used in practice, and the existing implementation does not support any of the theoretical expressiveness of nonconservative types.

But furthermore, both of the main theorems in the paper still extend to $<:_{\text{JD}}^{\text{WS}}$. The proof of undecidability uses only existential types where the instantiations are necessarily uniquely determined to be equivalent to some conservative type, and as such they can be easily patched to simply use that conservative type instead of an equivalent nonconservative type. And the proof of decidability for stratified types already includes a technique for transforming proofs to instead instantiate with only value types, one that just as easily applies when the original instantiations used nonconservative types. As such, like the more restrictive $<:_{\text{JD}}^{\text{C}}$, the more permissive $<:_{\text{JD}}^{\text{WS}}$ is undecidable in general but decidable on stratified types, and the observations here are merely theoretical curiosities for the purposes at hand.

Invertible Subtyping

Section 3.2 claimed Th. 3.1 (the equivalence of invertible and declarative subtyping); we expand its proof here.

THEOREM. *For any kind context Σ satisfying $\vdash_{\text{JI}} \Sigma$, and for any pair of types σ and σ' satisfying $\Sigma \vdash_{\text{JI}} \sigma$ and $\Sigma \vdash_{\text{JI}} \sigma'$, the following equivalence holds:*

$$\Sigma \vdash \sigma <:_{\text{JD}}^{\text{C}} \sigma' \iff \Sigma \vdash \sigma <:_{\text{JI}} \sigma'$$

PROOF. The leftward implication is trivially proven by induction on $\Sigma \vdash \sigma <:_{\text{JI}} \sigma'$, with applications of reflexivity and transitivity rules of $<:_{\text{JD}}^{\text{C}}$.

The bulk of the proof by far is in the rightward implication. First, we observe that, if its bounds are conservative, an existential type $\exists \sigma_\ell <: X <: \sigma_u. \sigma$ is equivalent to the type $\exists \perp <: X' <: \sigma_u. \sigma[X \mapsto \sigma_\ell \cup X']$. The left-to-right subtyping can be shown using the instantiation $X' \mapsto X$ (taking advantage

of the fact that substitutions preserve equivalences, which is trivially proven by induction). The other part of the equivalence, i.e. subtyping between $\exists \perp <: X' <: \sigma_u. \sigma[X \mapsto \sigma_\ell \cup X']$ and $\exists \sigma_\ell <: X <: \sigma_u. \sigma$, can be shown by opening the existential on the left and applying transitivity with $\sigma[X \mapsto \sigma_\ell \cup X']$: subtyping between $\sigma[X \mapsto \sigma_\ell \cup X']$ and $\exists \sigma_\ell <: X <: \sigma_u. \sigma$ follows from the rule for existential on the right with σ_X being equal to $\sigma_\ell \cup X'$.

Thus, conservativity essentially amounts to the fact that recursively applying this transformation necessarily results in an equivalent type with only upper bounds. We first employ this transformation so that we can work in a simpler type space with only upper bounds and, as a key consequence, no need to propagate proofs of conservativity throughout the following process. (This transformation can also be applied to the kind context, substituting the types well-scoped within that context appropriately.)

Second, we create an extended rule set that combines transitivity with the invertible rule set (without lower bounds and without the rule for a variable's lower bound). This makes it trivial to inductively translate a declarative proof into an extended proof.

Third, we define transitivity-elimination reductions. That is, for each combination of rules for which one's right type could be the same as the other's left type, we specify how to reduce it into a conceptually simpler proof where transitivity is only applied to the premises of these rules. In each case, the reduction is straightforward. The one problematic case *would* have been when the left rule applies a variable's lower bound and the right rule applies a variable's upper bound, but we avoided this by eliminating lower bounds entirely.

Fourth, we prove that repeatedly applying transitivity-elimination reductions necessarily terminates. In order to deal with impredicativity, we translate the system to Girard's cut-elimination reductions for proof nets of second-order classical linear logic (PN2) [Girard 1987]. The translation of types is straightforward (e.g. tuples to multiplicative conjunctions and unions to additive conjunctions), and the translation of each transitivity-elimination reduction to one or more cut-elimination reductions is similarly straightforward. Because of the latter and the fact that cut-elimination reduction for PN2 is terminating, transitivity-elimination reduction is necessarily terminating as well. As such, given an extended proof, one can repeatedly reduce its applications of transitivity and necessarily eventually arrive at a transitivity-free extended proof.

Lastly, given such a transitivity-free extended proof between types resulting from translating conservative types into lower-bound-free types, by induction we construct a proof that the original types are invertible subtypes. \square

COROLLARY A.1. *Invertible subtyping is reflexive and transitive on conservative types.*

PROOF. Corollary of Th. 3.1 and the declarative definition. \square

5 & 6 STRATIFIED AND DECIDABLE SUBTYPING

Section 5.3 introduced stratified subtyping, with a sound and complete algorithm presented in Section 6; we provide auxiliary definitions and expand on proofs here.

Measure

To reason about properties of stratified subtyping and, later, algorithmic subtyping, we use the measure \mathcal{M} defined in Fig. 16. The measure is similar to syntactic size, except for type variables. For a variable $\tau_\ell <: X <: \tau_u$ from Θ , its measure includes the measures of the bounds, i.e., $\mathcal{M}(\Theta; X) = 1 + \mathcal{M}(\Theta; \tau_\ell) + \mathcal{M}(\Theta; \tau_u)$. Although in Fig. 16, the recursive call is made in a smaller environment, it is straightforward to show that extending the environment with variables distinct from X does not impact the measure of X . Because the validity of Θ disallows recursive constraints, the measure function itself always terminates and evaluates to a positive integer; this can be shown by induction on the syntactic size. The measure of a judgment is then the sum of the measures of types in the judgment. For example, $\mathcal{M}(\Theta \vdash \tau <:_{\text{st}} \tau')$ is $\mathcal{M}(\Theta; \tau) + \mathcal{M}(\Theta; \tau')$.

$\mathcal{M}(\Theta; \tau)$	
$\mathcal{M}(\Theta; \top)$	$= 1$
$\mathcal{M}(\Theta; \perp)$	$= 1$
$\mathcal{M}(\cdot; X)$	$= 1$
$\mathcal{M}(\Theta, \tau_\ell <: X <: \tau_u; X)$	$= 1 + \mathcal{M}(\Theta; \tau_\ell) + \mathcal{M}(\Theta; \tau_u)$
$\mathcal{M}(\Theta, \tau_\ell <: X' <: \tau_u; X)$	$= X$
$\mathcal{M}(\Theta; \tau_1 \times \dots \times \tau_n)$	$= 1 + \mathcal{M}(\Theta; \tau_1) + \dots + \mathcal{M}(\Theta; \tau_n)$
$\mathcal{M}(\Theta; \mathbb{C}(\tau_1^\ell \ll \tau_1^u, \dots, \tau_n^\ell \ll \tau_n^u))$	$= 1 + \mathcal{M}(\Theta; \tau_1^\ell \ll \tau_1^u) + \dots + \mathcal{M}(\Theta; \tau_n^\ell \ll \tau_n^u)$
$\mathcal{M}(\Theta; \tau_1 \cup \tau_2)$	$= 1 + \mathcal{M}(\Theta; \tau_1) + \mathcal{M}(\Theta; \tau_2)$
$\mathcal{M}(\Theta; \tau^\ell \ll \tau^u)$	
$\mathcal{M}(\Theta; \tau^\ell \ll \tau^u)$	$= 1 + \mathcal{M}(\Theta; \tau^\ell) + \mathcal{M}(\Theta; \tau^u)$
$\mathcal{M}(\Theta; \psi)$	
$\mathcal{M}(\Theta; \perp)$	$= 1$
$\mathcal{M}(\Theta; (\tau_1, \dots, \tau_n))$	$= 1 + \mathcal{M}(\Theta; \tau_1) + \dots + \mathcal{M}(\Theta; \tau_n)$
$\mathcal{M}(\Theta; \exists \tau_\ell <: X <: \tau_u. \psi)$	$= 1 + \mathcal{M}(\Theta; \tau_\ell) + \mathcal{M}(\Theta; \tau_u) + \mathcal{M}(\Theta, \tau_\ell <: X <: \tau_u; \psi)$
$\mathcal{M}(\Theta; \psi_1 \cup \psi_2)$	$= 1 + \mathcal{M}(\Theta; \psi_1) + \mathcal{M}(\Theta; \psi_2)$

Fig. 16. Measure of value types and type signatures

Stratified Invertible Subtyping for Value Types and its Decidability

For type signatures, stratified invertible subtyping can be thought of as providing a canonical, stratified derivation of subtyping. In particular, $<:_{\text{st}}$ opens up all union and existential types on the left side before acting on the right side of the subtyping judgment. Such a stratification is applicable to non-stratified invertible subtyping $<:_{\text{ji}}$ as well:

$$\Sigma \vdash \sigma_1 \cup \sigma_2 <:_{\text{ji}} \sigma' \implies \Sigma \vdash \sigma_1 <:_{\text{ji}} \sigma' \text{ and } \Sigma \vdash \sigma_2 <:_{\text{ji}} \sigma' \quad (1)$$

$$\Sigma \vdash \exists \sigma_\ell <: X <: \sigma_u. \sigma <:_{\text{ji}} \sigma' \implies \Sigma, \sigma_\ell <: X <: \sigma_u \vdash \sigma <:_{\text{ji}} \sigma' \quad (2)$$

Both implications can be shown by induction on the left-hand side $<:_{\text{JI}}$ -derivation. Thus, whenever a union or an existential is a $<:_{\text{JI}}$ -subtype of another type, we can build a possibly different, stratified subtyping derivation that opens the left side first. This fact will come in handy when proving the equivalence of stratified and non-stratified definitions of subtyping.

Let us denote by $\boxed{\vdash_{\text{JI}} \rho : \Sigma \rightarrow \Sigma'}$ an assignment between kind contexts such that for each $\sigma_\ell <: X <: \sigma_u \in \Sigma$, a corresponding type $\rho(X)$ exists, is conservative in Σ' (i.e., $\Sigma' \vdash_{\text{JI}} \rho(X)$), and satisfies the substituted bounds (i.e., $\Sigma' \vdash \sigma_\ell[\rho] <:_{\text{JI}} \rho(X)$ and $\Sigma' \vdash \rho(X) <:_{\text{JI}} \sigma_u[\rho]$).

It is straightforward to show by induction on the derivation of $<:_{\text{JI}}$ -subtyping that type variables can be replaced by conservative types within the respective variables' bounds. That is, for a valid assignment $\vdash_{\text{JI}} \rho : \Sigma \rightarrow \Sigma'$, the following implication holds:

$$\Sigma \vdash \sigma <:_{\text{JI}} \sigma' \implies \Sigma' \vdash \sigma[\rho] <:_{\text{JI}} \sigma'[\rho]. \quad (3)$$

Similar properties hold for other flavors of subtyping (e.g. stratified and algorithmic), as can be shown by induction on respective derivations.

Section 5.3 claimed Lm. 5.1 (the equivalence of invertible and stratified invertible subtyping for value types); its proof is given here.

LEMMA. *For any kind context Θ satisfying $\vdash_{\text{SI}} \Theta$, and for any pair of value types τ and τ' satisfying $\Theta \vdash_{\text{SI}} \tau$ and $\Theta \vdash_{\text{SI}} \tau'$, the following equivalence holds:*

$$\Theta \vdash \tau <:_{\text{JI}} \tau' \iff \Theta \vdash \tau <:_{\text{SI}} \tau'$$

PROOF. The leftward implication is trivially proven by induction on the $<:_{\text{SI}}$ -derivation.

The rightward implication is proven by strong induction on the measure of $<:_{\text{JI}}$ -derivation. Most cases are completely straightforward and could be proven by structural induction instead, if not for the case of use-site variance.

For clarity, we consider only a single-argument case $\Theta \vdash \mathbb{C}\langle \tau_\ell \ll \tau_u \rangle <:_{\text{JI}} \mathbb{C}\langle \tau'_\ell \ll \tau'_u \rangle$:

$$\frac{\Theta, \tau_\ell <: X <: \tau_u \vdash \mathbb{C}\langle X \rangle <:_{\text{JI}} \exists \tau'_\ell <: Y <: \tau'_u. \mathbb{C}\langle Y \rangle}{\Theta \vdash \exists \tau_\ell <: X <: \tau_u. \mathbb{C}\langle X \rangle <:_{\text{JI}} \exists \tau'_\ell <: Y <: \tau'_u. \mathbb{C}\langle Y \rangle}$$

Note that the left-hand side existential can be opened first because of the existence of a stratified derivation discussed earlier.

By (3), we can replace X with any valid type within the variable bounds, in particular, the bounds τ_ℓ and τ_u themselves. Consider the case of the lower bound:

$$\frac{\Theta \vdash_{\text{JI}} \sigma_Y \quad \Theta \vdash \tau'_\ell <:_{\text{JI}} \sigma_Y \quad \Theta \vdash \sigma_Y <:_{\text{JI}} \tau'_u \quad \frac{\Theta \vdash \tau_\ell <:_{\text{JI}} \sigma_Y \quad \Theta \vdash \sigma_Y <:_{\text{JI}} \tau_\ell}{\Theta \vdash \mathbb{C}\langle \tau_\ell \rangle <:_{\text{JI}} \mathbb{C}\langle \sigma_Y \rangle}}{\Theta \vdash \mathbb{C}\langle \tau_\ell \rangle <:_{\text{JI}} \exists \tau'_\ell <: Y <: \tau'_u. \mathbb{C}\langle Y \rangle}$$

By transitivity of invertible subtyping (Corollary A.1), using σ_Y as the middle type, we derive $\Theta \vdash \tau'_\ell <:_{\text{JI}} \tau_\ell$. Similarly for the upper bound, we derive $\Theta \vdash \tau_u <:_{\text{JI}} \tau'_u$.

Since $\mathcal{M}(\Theta; \tau'_\ell) + \mathcal{M}(\Theta; \tau_u)$ is strictly smaller than $\mathcal{M}(\Theta; \mathbb{C}\langle \tau_\ell \ll \tau_u \rangle) + \mathcal{M}(\Theta; \mathbb{C}\langle \tau'_\ell \ll \tau'_u \rangle)$, the inductive hypothesis applies to $\Theta \vdash \tau'_\ell <:_{\text{SI}} \tau_\ell$, producing $\Theta \vdash \tau'_\ell <:_{\text{SI}} \tau_\ell$. Similarly for the upper bound, we derive $\Theta \vdash \tau'_u <:_{\text{SI}} \tau_u$. These two facts are enough to conclude the case with $\Theta \vdash \mathbb{C}\langle \tau_\ell \ll \tau_u \rangle <:_{\text{SI}} \mathbb{C}\langle \tau'_\ell \ll \tau'_u \rangle$. Note that the structural induction is not strong enough in this case, because the proofs of $\Theta \vdash \tau'_\ell <:_{\text{JI}} \tau_\ell$ and $\Theta \vdash \tau_u <:_{\text{JI}} \tau'_u$ are not direct premises. \square

Section 6.1 claimed Lm. 6.1 (decidability of stratified invertible subtyping for value types); its proof is given here.

LEMMA. *For any kind context Θ satisfying $\vdash^{\text{ws}} \Theta$, and for any pair of value types τ and τ' satisfying $\Theta \vdash^{\text{ws}} \tau$ and $\Theta \vdash^{\text{ws}} \tau'$, the following is decidable:*

$$\Theta \vdash \tau <_{\text{SI}} \tau'$$

PROOF. The rule set can be soundly and completely explored using backtracking proof search; we only need to prove the search always terminates. For this, we use measure $\mathcal{M}(\Theta; \tau) + \mathcal{M}(\Theta; \tau')$.

In each rule, the measure of each premise is strictly smaller than that of the conclusion, where contravariance is addressed by commutativity of addition. This guarantees termination for backtracking proof search. \square

COROLLARY A.2. *Algorithmic subtyping is reflexive and transitive on conservative value types.*

PROOF. Corollary of its definition and of Th. 3.1 and Lm. 5.1. \square

Directed Constraint Collection

LEMMA A.3 (DECIDABILITY OF CONSTRAINT-COLLECTING SUBTYPING). *For any kind context Θ_R and Θ_F satisfying $\cdot \vdash^{\text{ws}} \Theta_R$ and $\cdot \vdash^{\text{ws}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash^{\text{ws}} \tau$ and $\Theta_R \vdash^{\text{ws}} \tau'$, the following is decidable:*

$$\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K \quad \text{and} \quad \Theta_R \vdash \tau' <_{\text{SA}}^{\rightarrow} \tau \rightsquigarrow K$$

PROOF. Backtracking proof search terminates because in each rule, the measure $\mathcal{M}(\Theta_R; \tau) + \mathcal{M}(\Theta_F; \tau')$ decreases. \square

LEMMA A.4 (CONSTRAINT-COLLECTING SUBTYPING ON RIGID TYPES). *For any kind context Θ satisfying $\vdash_{\text{SA}} \Theta$, for any pair of value types τ and τ' satisfying $\Theta \vdash_{\text{SA}} \tau$ and $\Theta \vdash_{\text{SA}} \tau'$, the following holds:*

$$\Theta \vdash \tau <_{\text{SA}} \tau' \iff \Theta \vdash \tau <_{\text{SA}}^{\delta} \tau' \rightsquigarrow \emptyset$$

PROOF. Straightforward by induction on the derivation of $<_{\text{SA}}$ in the rightward direction, and mutual induction on the derivations of $<_{\text{SA}}^{\rightarrow}$ and $<_{\text{SA}}^{\leftarrow}$ in the leftward direction. \square

LEMMA A.5 (MARSHALLING VARIABLES IN CONSTRAINT-COLLECTING SUBTYPING). *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash_{\text{SA}} \tau$ and $\Theta_F \vdash_{\text{SA}} \tau'$, the following holds:*

- (1) *If $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$, then $\Theta_R \vdash K \dashv \Theta_F$.*
- (2) *If $\Theta_R \vdash \tau' <_{\text{SA}}^{\leftarrow} \tau \rightsquigarrow K$, then $\Theta_R \vdash K \dashv \Theta_F$.*

PROOF. The proof is straightforward by strong induction on $\mathcal{M}(\Theta_R; \tau) + \mathcal{M}(\Theta_F; \tau')$. In the base case, where constraints are generated, the validity of constraints is guaranteed by assumption. \square

LEMMA A.6 (SOUNDNESS OF CONSTRAINT-COLLECTING SUBTYPING). *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash_{\text{SA}} \tau$ and $\Theta_F \vdash_{\text{SA}} \tau'$, the following holds:*

- (1) *If $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$, then
for any assignment θ satisfying $\vdash_{\text{SA}} \theta : \Theta_F \rightarrow \Theta_R$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$, $\Theta_R \vdash \tau <_{\text{SA}} \tau'[\theta]$.*
- (2) *If $\Theta_R \vdash \tau' <_{\text{SA}}^{\leftarrow} \tau \rightsquigarrow K$, then
for any assignment θ satisfying $\vdash_{\text{SA}} \theta : \Theta_F \rightarrow \Theta_R$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$, $\Theta_R \vdash \tau'[\theta] <_{\text{SA}} \tau$.*

Similar implications hold for an assignment ρ to arbitrary conservative types, producing subtype derivations $\Theta_R \vdash \tau <_{\text{JI}} \tau'[\rho]$ and $\Theta_R \vdash \tau'[\rho] <_{\text{JI}} \tau$.

PROOF. The proof is straightforward by strong induction on $\mathcal{M}(\Theta_R; \tau) + \mathcal{M}(\Theta_F; \tau')$. In cases where constraints are generated, e.g., $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} X \rightsquigarrow X \geq \tau$, the conclusion follows from the assumption $\Theta_R \vdash_{\text{SA}} \theta \dashv K$, as $\Theta_R \vdash \tau <_{\text{SA}} \theta(X)$. \square

LEMMA A.7 (COMPLETENESS OF CONSTRAINT-COLLECTING SUBTYPING). *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash_{\text{SA}} \tau$ and $\Theta_F \vdash_{\text{SA}} \tau'$, for any assignment ρ satisfying $\vdash_{\text{JI}} \rho : \Theta_F \rightarrow \Theta_R$, the following holds:*

- (1) If $\Theta_R \vdash \tau <_{\text{JI}} \tau'[\rho]$, then $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$ and $\Theta_R \vdash_{\text{JI}} \rho \dashv K$.
- (2) If $\Theta_R \vdash \tau'[\rho] <_{\text{JI}} \tau$, then $\Theta_R \vdash \tau' <_{\text{SA}}^{\leftarrow} \tau \rightsquigarrow K$ and $\Theta_R \vdash_{\text{JI}} \rho \dashv K$.

Similar implications hold for an assignment θ to value types with \vdash_{SA} and \vdash_{SI} .

PROOF. The proof is straightforward by strong induction on $\mathcal{M}(\Theta_R; \tau) + \mathcal{M}(\Theta_F; \tau')$. In the case of use-site variance, we apply the same technique as in the proof of Lm. 5.1 to derive the relationship between respective bounds. \square

Section 6.3 claimed Lm. 6.4; its proof is given here.

LEMMA. *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ and τ' satisfying $\Theta_R \vdash_{\text{SA}} \tau$ and $\Theta_F \vdash_{\text{SA}} \tau'$, the following hold:*

Marshalling Any constraint set K satisfying $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$ is valid, i.e. $\Theta_R \vdash K \dashv \Theta_F$ holds.

Soundness For any constraint set K satisfying $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$, if there exists an assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$, then $\Theta_R \vdash \tau <_{\text{SA}} \tau'[\theta]$ holds.

Completeness For any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$, if $\Theta_R \vdash \tau <_{\text{SA}} \tau'[\theta]$ holds then there exists a constraint set K such that $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$ and $\Theta_R \vdash_{\text{SA}} \theta \dashv K$ hold.

Computability The set of constraint sets K satisfying $\Theta_R \vdash \tau <_{\text{SA}}^{\rightarrow} \tau' \rightsquigarrow K$ is finite and computably enumerable.

Likewise for the opposite direction (\leftarrow), with the roles of the kind contexts Θ and Θ' and of the value types τ and τ' appropriately swapped.

PROOF. Marshalling holds by Lm. A.5. Soundness holds by Lm. A.6. Completeness holds by Lm. A.7. Computability follows from finiteness of the rule set, by strong induction on the measure, similar to other proofs. \square

Constraint Solving

To reason about subtyping of signatures and eventually establish the equivalence between invertible, stratified invertible, and stratified algorithmic subtyping, it is helpful to consider modified versions of constraint solving and algorithmic subtyping of signatures (presented in Section 6) where an assignment of flexible variables is made explicit. The modified definitions are given in Fig. 18 and Fig. 17, respectively. The only difference from Fig. 15 and Fig. 13 is that in signature subtyping, once method parameters are reached on both sides of $<_{\text{SA}}^{\text{R}}$, constraints are immediately solved for all (flexible) variables in Δ . In the original definitions, they were solved gradually, with each application of the right-existential rule. It is not hard to see that

$$\Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^{\text{R}} \psi \rightsquigarrow \emptyset \iff \Theta \mid \cdot \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^{\text{R}} \psi \dashv [],$$

$$\begin{array}{c}
\frac{\Theta \mid \cdot \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R \psi' \dashv []}{\Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}} \psi'} \\
\\
\frac{}{\Theta \vdash \perp <_{\text{SA}} \psi'} \\
\\
\frac{\Theta \vdash \psi_1 <_{\text{SA}} \psi' \quad \Theta \vdash \psi_2 <_{\text{SA}} \psi'}{\Theta \vdash \psi_1 \cup \psi_2 <_{\text{SA}} \psi'} \\
\\
\frac{\Theta, \tau_\ell <: X <: \tau_u \vdash \psi <_{\text{SA}} \psi'}{\Theta \vdash \exists \tau_\ell <: X <: \tau_u. \psi <_{\text{SA}} \psi'}
\end{array}
\quad \Bigg| \quad
\begin{array}{c}
\frac{\forall i \in [1, n]. \Theta \vdash \tau_i <_{\text{SA}}^{\rightarrow} \tau'_i \rightsquigarrow K_i \quad \Theta \vdash \Delta. K_1 \cup \dots \cup K_n \rightsquigarrow \theta}{\Theta \mid \Delta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R (\tau'_1, \dots, \tau'_n) \dashv \theta} \\
\\
\frac{\Theta \mid \Delta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R \psi'_i \dashv \theta}{\Theta \mid \Delta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R \psi'_1 \cup \psi'_2 \dashv \theta} \\
\\
\frac{\Theta \mid \Delta, \tau_\ell <: X <: \tau_u \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R \psi' \dashv \theta}{\Theta \mid \Delta \vdash (\tau_1, \dots, \tau_n) <_{\text{SA}}^R \exists \tau_\ell <: X <: \tau_u. \psi' \dashv \theta \setminus X}
\end{array}$$

Fig. 17. Algorithmic subtyping for signatures with explicit substitution: $\boxed{\Theta \vdash \psi <_{\text{SA}} \psi}$ (left) and $\boxed{\Theta \mid \Delta \vdash (\tau, \dots, \tau) <_{\text{SA}}^R \psi \dashv \theta}$ (right)

$$\frac{}{\Theta \vdash \emptyset. K \rightsquigarrow []} \\
\\
\frac{\forall X \geq \tau'_\ell \in K, X \leq \tau'_u \in K. \Theta \vdash \tau'_\ell <_{\text{SA}} \tau'_u \quad \forall X \geq \tau'_\ell \in K. \Theta \vdash \tau'_\ell <_{\text{SA}}^{\leftarrow} \tau'_u \rightsquigarrow K_{\tau'_u}^u \quad \forall X \leq \tau'_u \in K. \Theta \vdash \tau_\ell <_{\text{SA}} \tau'_u \rightsquigarrow K_{\tau'_u}^u \\
K_\ell = \{X' \geq \tau'_\ell \in K \mid X' \neq X\} \quad K_u = \{X' \leq \tau'_u \in K \mid X' \neq X\} \\
\Theta \vdash \Delta. K_\ell \cup K_u \cup_{X \geq \tau'_\ell \in K} K_{\tau'_\ell}^\ell \cup_{X \leq \tau'_u \in K} K_{\tau'_u}^u \rightsquigarrow \theta'}{\Theta \vdash \Delta, \tau_\ell <: X <: \tau_u. K \rightsquigarrow \theta' [X \mapsto \theta'(\tau_\ell) \cup_{X \geq \tau'_\ell \in K} \tau'_\ell]}$$

Fig. 18. Constraint solving with explicit substitution: $\boxed{\Theta \vdash \Delta. K \rightsquigarrow \theta}$

as shown by instantiating Lm. A.11 with the empty Δ .

In the following proofs, we use various facts about algorithmic subtyping of value types that were discussed earlier.

LEMMA A.8 (DECIDABILITY OF CONSTRAINT SOLVING). *For any kind contexts Θ and Δ satisfying $\cdot \vdash^{\text{ws}} \Theta$ and $\cdot \vdash^{\text{ws}} \Delta$, for any valid well-scoped constraint set K , the following is decidable:*

$$\Theta \vdash \Delta. K \rightsquigarrow \theta$$

PROOF. By induction on Δ , using decidability of algorithmic and constraint-collecting subtyping for value types (Lm. 6.1 and Lm. A.3). \square

LEMMA A.9 (SOUNDNESS OF CONSTRAINT SOLVING). *For any kind contexts Θ and Δ satisfying $\vdash_{\text{SA}} \Theta$ and $\vdash_{\text{SA}} \Delta$, for any constraint set K satisfying $\Theta \vdash K \dashv \Delta$, the following holds:*

$$\Theta \vdash \Delta. K \rightsquigarrow \theta \quad \Longrightarrow \quad \vdash_{\text{SA}} \theta : \Delta \rightarrow \Theta \text{ and } \Theta \vdash_{\text{SA}} \theta \dashv K.$$

By the soundness of algorithmic subtyping for value types, it also follows that the assignment satisfies K and Δ according to $<_{\text{J1}}$ -subtyping.

PROOF. By induction on Δ . In the inductive step, we use:

- soundness of constraint-collecting subtyping (Lm. A.6) for subtyping between collected (rigid) bounds and opposite (flexible) declared bounds;
- soundness of algorithmic value subtyping with respect to substitution (a version of (3)) for subtyping between substituted declared lower and upper bounds;
- reflexivity and transitivity of algorithmic subtyping for value types (Lm. A.2);
- marshalling of type variables (Lm. A.5).

See Section 6.4 for more discussion. Note that although declared lower and upper bounds of a flexible variable may refer to other flexible variables, there is no need to check subtyping between the declared bounds: such subtyping is guaranteed by conservativity of existential types that flexible variables are coming from. Thus, conservativity avoids requiring checking the one case where both the left-hand and right-hand types would be flexible. \square

LEMMA A.10 (COMPLETENESS OF CONSTRAINT SOLVING). *For any kind contexts Θ and Δ satisfying $\vdash_{\text{SA}} \Theta$ and $\vdash_{\text{SA}} \Delta$, for any constraint set K satisfying $\Theta \vdash K \dashv \Delta$, for any assignment ρ such that $\vdash_{\text{JI}} \rho : \Delta \rightarrow \Theta$ and $\Theta \vdash_{\text{JI}} \rho \dashv K$, it holds that:*

$$\Theta \vdash \Delta. K \rightsquigarrow \theta'.$$

PROOF. By induction on Δ . The structure is similar to the proof of soundness above, relying on completeness of constraint-collecting subtyping (Lm. A.7) instead of its soundness. \square

Section 6.4 claimed Lm. 6.5; it is proven here.

LEMMA. *For any kind contexts Θ_R and Θ_F satisfying $\vdash_{\text{SA}} \Theta_R$ and $\vdash_{\text{SA}} \Theta_F$, for any pair of value types τ_ℓ and τ_u satisfying $\Theta_F \vdash_{\text{SA}} \tau_\ell$ and $\Theta_F \vdash_{\text{SA}} \tau_u$ and $\Theta_F \vdash \tau_\ell <_{\text{SA}} \tau_u$, for any type variable X not declared by either Θ_R or Θ_F , and for any constraint set K satisfying $\Theta_R \vdash K \dashv \Theta_F$, $\tau_\ell < X < \tau_u$, the following hold:*

Marshalling *Any constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ is valid without X , i.e. $\Theta_R \vdash K' \dashv \Theta_F$ holds.*

Soundness *For any constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ and any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$, if $\theta \vdash K'$ holds then there exists a value type τ_X satisfying $\Theta_R \vdash_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_\ell[\theta] <_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_X <_{\text{SA}} \tau_u[\theta]$ such that $\theta, X \mapsto \tau_X \vdash K$ holds.*

Completeness *For any assignment θ satisfying $\vdash \theta : \Theta_F \rightarrow \Theta_R$ and any value type τ_X satisfying $\Theta_R \vdash_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_\ell[\theta] <_{\text{SA}} \tau_X$ and $\Theta_R \vdash \tau_X <_{\text{SA}} \tau_u[\theta]$, if $\theta, X \mapsto \tau_X \vdash K$ holds then there exists a constraint set K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ and $\theta \vdash K'$.*

Computability *The set of constraint sets K' satisfying $\Theta_R \vdash \exists \tau_\ell < X < \tau_u. K \rightsquigarrow K'$ is finite and computably enumerable.*

PROOF. As illustrated by the modified right signature subtyping and constraint solving with explicit substitution (defined in Fig. 18 and Fig. 17), a satisfying instantiation of X is simply the union of the (substituted) given lower bound and all of the collected lower-bound constraints. Because the modified definitions are equivalent to the ones in the main text of the paper (Lm. A.11), the lemma follows from the properties of the modified definition (Lm. A.9 and Lm. A.10). \square

Stratified Subtyping of Signatures and its Decidability

Observe that the combination of signature subtyping and constraint solving from Section 6.2 (Fig. 15 and Fig. 13) is equivalent to the modified version with explicit substitution (Fig. 18 and Fig. 17).

LEMMA A.11 (SIGNATURE SUBTYPING WITH EXPLICIT SUBSTITUTION). *For any kind contexts Θ and Δ satisfying $\vdash_{\text{SA}} \Theta$ and $\vdash_{\text{SA}} \Delta$, for any pair of method arguments $(\vec{\tau})$ and a signature ψ satisfying $\Theta \vdash_{\text{SA}} (\vec{\tau})$ and $\Delta \vdash_{\text{SA}} \psi$, the following hold:*

- (1) *If $\Theta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \rightsquigarrow \text{K}$ and exists θ satisfying $\vdash_{\text{SA}} \theta : \Delta \rightarrow \Theta$ and $\Theta \vdash_{\text{SA}} \theta \dashv \text{K}$, then $\Theta \mid \Delta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \dashv \theta'$ and $\Theta \vdash_{\text{SA}} \theta' \dashv \text{K}$.*
- (2) *If $\Theta \mid \Delta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \dashv \theta'$, then $\Theta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \rightsquigarrow \text{K}$ and $\Theta \vdash_{\text{SA}} \theta' \dashv \text{K}$.*

PROOF. In the first case, the proof proceeds by induction on ψ and case analysis on $\Theta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \rightsquigarrow \text{K}$. In the base case, it relies on completeness of constraint-collecting subtyping (Lm. A.7), and completeness and soundness of constraint solving (Lm. A.10 and Lm. A.9). In the inductive case for existentials, it needs to reason about one step of constraint solving similar to Lm. A.10 and Lm. A.9.

In the second case, by induction on the derivation of $\Theta \mid \Delta \vdash (\vec{\tau}) <_{\text{SA}}^{\text{R}} \psi \dashv \theta'$, also using soundness and completeness of subtyping and constraint solving. \square

Section 5.3 claimed Th. 5.2 (the equivalence of invertible and stratified invertible subtyping of signatures); its proof is given here.

THEOREM. *For any kind context Θ satisfying $\vdash_{\text{SI}} \Theta$, and for any pair of method signatures ψ and ψ' satisfying $\Theta \vdash_{\text{SI}} \psi$ and $\Theta \vdash_{\text{SI}} \psi'$, the following equivalence holds:*

$$\Theta \vdash \psi <_{\text{JI}} \psi' \iff \Theta \vdash \psi <_{\text{SI}} \psi'$$

PROOF. The leftward implication is trivially proven by induction on $<_{\text{SI}}$ -derivation.

The rightward implication is shown in multiple steps. First, we perform an induction on the canonical, stratified derivation of $\Theta \vdash \psi <_{\text{JI}} \psi'$ (discussed on page 28), where left rules are all applied before the right rules. The only interesting case is the base case, where we need to show

$$\Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{JI}} \psi' \implies \Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{SI}}^{\text{R}} \psi'$$

The key challenge is that in the right-existential rule, $<_{\text{SI}}$ only permits instantiating the variable with a (conservative) value type, whereas $<_{\text{JI}}$ permits instantiating it with an arbitrary (conservative) type. The following property lets us show the above implication by using $\Delta = \cdot$ and $\rho = []$, where Δ is a kind context of existential variables with value-type bounds, ρ is an assignment of those variables to arbitrary conservative types σ , and θ is an assignment of the same variables to conservative value types:

$$\begin{aligned} \forall \Delta, \rho \text{ satisfying } \vdash_{\text{SI}} \Delta \text{ and } \vdash_{\text{JI}} \rho : \Delta \rightarrow \Theta. \Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{JI}} \psi'[\rho] \\ \implies \\ \exists \theta \text{ satisfying } \vdash_{\text{SI}} \theta : \Delta \rightarrow \Theta \text{ such that } \Theta \vdash (\tau_1, \dots, \tau_n) <_{\text{SI}}^{\text{R}} \psi'[\theta]. \end{aligned}$$

This property holds for all valid Θ , $(\vec{\tau})$, and ψ' . It is proven by induction on ψ' with case analysis on $<_{\text{JI}}$ -derivation. The right-union case is trivial. In the right-existential rule,

$$\frac{\Theta \vdash_{\text{JI}} \sigma_X \quad \Theta \vdash \tau_\ell[\rho] <_{\text{JI}} \sigma_X \quad \Theta \vdash \sigma_X <_{\text{JI}} \tau_u[\rho] \quad \Theta \vdash (\vec{\tau}) <_{\text{JI}} \psi'[\rho][X \mapsto \sigma_X]}{\Theta \vdash (\vec{\tau}) <_{\text{JI}} \exists \tau_\ell[\rho] <_{\text{X}} \tau_u[\rho]. \psi'[\rho]},$$

the inductive hypothesis is applicable to ψ' with $\Delta' = \Delta$, $\tau_\ell <_{\text{X}} \tau_u$ and $\rho' = \rho[X \mapsto \sigma_X]$, so we get θ' such that $\Theta \vdash (\vec{\tau}) <_{\text{SI}}^{\text{R}} \psi'[\theta']$ and $\vdash_{\text{SI}} \theta' : \Delta, \tau_\ell <_{\text{X}} \tau_u \rightarrow \Theta$. Therefore, we can take $\tau_X = \theta'(X)$ and $\theta = \theta' \setminus X$ in the derivation of $\Theta \vdash (\vec{\tau}) <_{\text{SI}}^{\text{R}} \exists \tau_\ell[\theta] <_{\text{X}} \tau_u[\theta]. \psi'[\theta]$.

The most challenging case is the base case, $\Theta \vdash (\vec{\tau}) <_{\text{JI}} (\vec{\tau}')[\rho]$. The key observation is that in such a derivation, types $\rho(X)$ appear in syntactically restricted positions where they are

required to be a subtype or a supertype of a value type from $(\vec{\tau})$. As such, θ can be constructed by taking the union of value-type lower bounds induced by $\Theta \vdash (\vec{\tau}) <:_{\text{JI}} (\vec{\tau}')[\rho]$, unionized with declared lower bounds induced by Δ . This observation is formalized with constraint-collecting subtyping from Fig. 14. The corresponding proofs can be found in Appendix A. In particular, by completeness of constraint-collecting subtyping (Lm. A.7), we know that $\Theta \vdash (\vec{\tau}) <:_{\text{SA}}^{\vec{\tau}} (\vec{\tau}') \rightsquigarrow \text{K}$ such that $\Theta \vdash_{\text{JI}} \rho \dashv \text{K}$. Then, completeness of constraint solving (Lm. A.10) that explicitly computes an assignment from Δ to satisfying value types guarantees that there is a value-type assignment θ such that, by soundness of constraint solving (Lm. A.9), it satisfies the constraints $\Theta \vdash_{\text{SA}} \theta \dashv \text{K}$ and respects the bounds $\vdash_{\text{SA}} \theta : \Delta \rightarrow \Theta$. Finally, by soundness of constraint-collecting subtyping (Lm. A.6), we have $\Theta \vdash (\vec{\tau}) <:_{\text{SA}}^{\vec{\tau}} (\vec{\tau}')[\theta]$, which is the same as the required $\Theta \vdash (\vec{\tau}) <:_{\text{SI}}^{\text{R}} (\vec{\tau}')[\theta]$. \square

LEMMA A.12 (SOUNDNESS AND COMPLETENESS OF RIGHT SIGNATURE SUBTYPING). *For any kind contexts Θ and Δ satisfying $\vdash_{\text{SA}} \Theta$ and $\vdash_{\text{SA}} \Delta$, for any assignment θ satisfying $\vdash \theta : \Delta \rightarrow \Theta$, and for any pair of $(\vec{\tau})$ and ψ' satisfying $\Theta \vdash_{\text{SA}} (\vec{\tau})$ and $\Theta \vdash_{\text{SA}} \psi'[\theta]$, the following holds:*

- (1) $\Theta \mid \Delta \vdash (\vec{\tau}) <:_{\text{SA}}^{\text{R}} \psi' \dashv \theta \implies \Theta \vdash (\vec{\tau}) <:_{\text{SI}} \psi'[\theta]$
- (2) $\Theta \vdash (\vec{\tau}) <:_{\text{SI}} \psi'[\theta] \implies \exists \theta'. \Theta \mid \Delta \vdash (\vec{\tau}) <:_{\text{SA}}^{\text{R}} \psi' \dashv \theta'$

PROOF. The first part is straightforward by induction on the derivation, with soundness of constraint solving (Lm. A.9) in the base case.

The second part is proven similarly to the middle step of the proof of Th. 5.2, by induction on ψ' . In the base case, we rely on completeness of constraint-collecting subtyping and constraint solving (Lm. A.7 and Lm. A.10). \square

LEMMA A.13 (DECIDABILITY OF RIGHT SIGNATURE SUBTYPING). *For any kind contexts Θ and Δ satisfying $\cdot \vdash^{\text{WS}} \Theta$ and $\cdot \vdash^{\text{WS}} \Delta$, for any pair of method signatures ψ and ψ' satisfying $\Theta \vdash^{\text{WS}} \psi$ and $\Delta \vdash^{\text{WS}} \psi'$, the following is decidable:*

$$\Theta \mid \Delta \vdash \psi <:_{\text{SA}}^{\text{R}} \psi' \dashv \theta$$

PROOF. Backtracking proof search terminates by induction on ψ' and decidability of constraint-collecting subtyping (Lm. A.3) and constraint solving (Lm. A.8). \square

LEMMA A.14 (DECIDABILITY OF SIGNATURE SUBTYPING). *For any kind context Θ satisfying $\cdot \vdash^{\text{WS}} \Theta$, for and pair of method signatures ψ and ψ' satisfying $\Theta \vdash^{\text{WS}} \psi$ and $\cdot \vdash^{\text{WS}} \psi'$, the following is decidable:*

$$\Theta \vdash \psi <:_{\text{SA}} \psi'$$

PROOF. Backtracking proof search terminates by induction on ψ and Lm. A.13 in the base case. By Lm. A.11, the latter extends to the definition of right signature subtyping from the main text of the paper. \square

Section 6.2 claimed Th. 6.2 (decidability of algorithmic subtyping); its proof is given here.

LEMMA. *For any pair of method signatures ψ and ψ' satisfying $\cdot \vdash^{\text{WS}} \psi$ and $\cdot \vdash^{\text{WS}} \psi'$, the following is decidable:*

$$\cdot \vdash \psi <:_{\text{SA}} \psi'$$

PROOF. By Lm. A.14. \square

Section 6.2 claimed Th. 6.3 (the equivalence of stratified invertible and stratified algorithmic subtyping); a proof of its generalized version is given here.

THEOREM. *For any kind context Θ satisfying $\vdash_{\text{SA}} \Theta$, and for any pair of method signatures ψ and ψ' satisfying $\Theta \vdash_{\text{SA}} \psi$ and $\cdot \vdash_{\text{SA}} \psi'$, the following equivalence holds:*

$$\Theta \vdash \psi <_{\text{SI}} \psi' \iff \Theta \vdash \psi <_{\text{SA}} \psi'$$

PROOF. Both directions are proven by induction on the derivation of the left signature subtyping, using Lm. A.12 in the base case. By Lm. A.11, the latter extends to the definition of right signature subtyping from the main text of the paper. \square

Received 2023-11-16; accepted 2024-03-31